



PRODUCT-DETAILS

TY53510M
CABLE TIE 175LB 35IN NATURAL NYLON



General Information	
Extended Product Type	TY53510M
Product ID	7TCG009380R0001
EAN	5414363066118
Catalog Description	CABLE TIE 175LB 35IN NATURAL NYLON
Long Description	Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 889mm (35.0 Inches), Width of 8.13mm (0.32 Inches), Thickness of 1.7mm (0.07 Inches), Tensile Strength Rating of 780 Newtons (175 pounds)

Ordering	
EAN	5414363066118
UPC	786210134512
Country of Origin	Hungary (HU)
Selling Unit of Measure	each

Dimensions	
Product Net Width	0.32 in 8.13 mm
Product Net Depth / Length	35 in 889 mm

Container Information	
Package Level 1 Units	50 piece
Package Level 2 Units	250 piece
Package Level 2 Width	5.2 in 132 mm
Package Level 2 Height	5.3 in 135 mm
Package Level 2 Depth / Length	38 in 965 mm

Technical UL/CSA	
Flammability According to UL94	V-2

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	Max 10 in Max 254 mm
Color	Natural
Effective Date	19940525
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	NYLON DUCT TIE
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Tensile Strength	175 lb 780 N
Thickness	0.07 in 1.7 mm

Certificates and Declarations	
Data Sheet, Technical Information	TY53510M

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope

IDEA Granular Category
Code (IGCC)

5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

