TY535M 1/3



PRODUCT-DETAILS

TY535M

CBL TIE 50LB 8IN NAT NYL MNTG HOLE



General Information	
Extended Product Type	TY535M
Product ID	7TAG009520R0068
EAN	5414363066170
Catalog Description	CBL TIE 50LB 8IN NAT NYL MNTG HOLE
Long Description	Integrated Mounting Hole Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, Length of 198mm (7.8 Inches), Width of Width of 4.6mm (0.18 Inch), Thickness of 1mm (0.04 Inches), Tensile Strength Rating of 222 Newtons (50 pounds), #10 Screw for Mounting

Ordering	
E-Number (Finland)	1381525
EAN	5414363066170
UPC	786210805153
Country of Origin	United States (US)
Selling Unit of Measure	each

TY535M 2/3

Dimensions	
Product Net Width	0.19 in
	4.83 mm
Product Net Depth /	7.8 in
Length	198 mm

Container Information	
Package Level 1 Units	100 EA
Package Level 1 Width	152.4 mm 6 in
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	317.5 mm 12.5 in
Package Level 2 Units	500 EA
Package Level 2 Width	144.78 mm 5.7 in
Package Level 2 Height	167.64 mm 6.6 in
Package Level 2 Depth / Length	251.206 mm 9.89 in
Package Level 3 Units	128000 EA
Package Level 3 Width	0.025 mm 0.001 in
Package Level 3 Height	0.025 mm 0.001 in
Package Level 3 Depth / Length	0.025 mm 0.001 in

Environmental	
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Technical UL/CSA	
Flammability According	V-2
to UL94	

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	0.138 to 1.77 in
Color	3.5 to 45 mm Natural
Effective Date	19680723
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	Other /note: See 9903.88.66 and 9903.88. 67.
Product Type	Integrated Mounting Hole
RoHS Date	9AKK107991A8069
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.

TY535M 3/3

Standards	UL E49405
Tensile Strength	50 lb
	222 N
Thickness	0.04 in
	1 mm

Certificates and Declarations

Data Sheet, Technical	TDS000577
Information	

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5044 >> Mounted Head Ties

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

