TY54513M 1/3



PRODUCT-DETAILS

TY54513M

CABLE TIE 175LB 45IN NATURAL NYLON

General Information	
Extended Product Type	TY54513M
Product ID	7TCG009380R0003
EAN	5414363066477
Catalog Description	CABLE TIE 175LB 45IN NATURAL NYLON
Long Description	Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, Length of 1143mm (45.0 Inches), Width of 8.13mm (0.32 Inch), Thickness of 1.7mm (0.07 Inch), Tensile Strength Rating of 780 Newtons (175 Pounds)

Ordering			
EAN	5414363066477		
UPC	786210134529		
Country of Origin	Hungary (HU)		
Selling Unit of Measure	each		

Dimensions

TY54513M 2/3

Product Net Width	0.32 in
	8.13 mm
Product Net Depth /	45 in
Length	1143 mm

Container Information	
Package Level 1 Units	50 piece
Package Level 2 Units	250 piece
Package Level 2 Width	6 in 152 mm
Package Level 2 Height	5.5 in 140 mm
Package Level 2 Depth / Length	48 in 1219 mm

Technical UL/CSA	
Flammability According	V-2
to UL94	

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	Max 13 in Max 330 mm
Color	Natural
Effective Date	19940525
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	NYLON DUCT TIE
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Tensile Strength	175 lb 780 N
Thickness	0.07 in 1.7 mm

Certificates and Declarations			
Data Sheet, Technical	TY54513M		
Information			

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

TY54513M 3/3

_								
r	2	•	Δ	a	^	ri	Δ	c
·	u	•	·	9	v		·	3

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$