



PRODUCT-DETAILS

TY54M  
CABLE TIE 40LB 6IN NAT 3/16 PUSH MT



| General Information   |                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | TY54M                                                                                                                                                                                                                                                                                                                                             |
| Product ID            | 7TAG009530R0009                                                                                                                                                                                                                                                                                                                                   |
| EAN                   | 5414363066590                                                                                                                                                                                                                                                                                                                                     |
| Catalog Description   | CABLE TIE 40LB 6IN NAT 3/16 PUSH MT                                                                                                                                                                                                                                                                                                               |
| Long Description      | Push Mount Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, Length of 151.38mm (5.964 Inches), Width of 3.71mm (0.146 Inches), Thickness of 1.321mm (0.052 Inches), Mounting Hole Size of 4.77mm (0.188 Inches), Tensile Strength Rating of 180 Newtons (40 pounds), Bulk Pack |

| Ordering                |                    |
|-------------------------|--------------------|
| EAN                     | 5414363066590      |
| UPC                     | 786210825397       |
| Country of Origin       | United States (US) |
| Selling Unit of Measure | each               |

| Dimensions                 |                      |
|----------------------------|----------------------|
| Product Net Width          | 0.14 in<br>3.71 mm   |
| Product Net Depth / Length | 5.96 in<br>151.38 mm |

| Container Information          |                      |
|--------------------------------|----------------------|
| Package Level 1 Units          | 1000 EA              |
| Package Level 1 Width          | 0 mm<br>0 in         |
| Package Level 1 Height         | 0 mm<br>0 in         |
| Package Level 1 Depth / Length | 0 mm<br>0 in         |
| Package Level 2 Units          | 10000 EA             |
| Package Level 2 Width          | 172.72 mm<br>6.8 in  |
| Package Level 2 Height         | 116.84 mm<br>4.6 in  |
| Package Level 2 Depth / Length | 307.34 mm<br>12.1 in |

| Environmental |                                                                        |
|---------------|------------------------------------------------------------------------|
| RoHS Status   | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |

| Technical UL/CSA               |     |
|--------------------------------|-----|
| Flammability According to UL94 | V-2 |

| Additional Information |                                              |
|------------------------|----------------------------------------------|
| Brand / Label          | Ty-Rap                                       |
| Bundle Diameter        | Max 1.13 in<br>Max 28.7 mm                   |
| Color                  | Natural                                      |
| Effective Date         | 19680104                                     |
| Lock Type              | Stainless Steel Barb                         |
| Material               | Nylon/Polyamide 6.6                          |
| Product Name           | Other /note: See 9903.88.66 and 9903.88. 67. |
| Product Type           | Push Mount                                   |
| Special Functions      | UL E49405                                    |
| Tensile Strength       | 40 lb<br>180 N                               |
| Thickness              | 0.05 in<br>1.31 mm                           |

| Certificates and Declarations     |       |
|-----------------------------------|-------|
| Data Sheet, Technical Information | TY54M |

| Classifications                    |  |                               |
|------------------------------------|--|-------------------------------|
| ETIM 6                             |  | EC000046 - Cable tie          |
| ETIM 7                             |  | EC000046 - Cable tie          |
| ETIM 8                             |  | EC000046 - Cable tie          |
| UNSPSC                             |  | 39121703                      |
| WEEE Category                      |  | Product Not in WEEE Scope     |
| IDEA Granular Category Code (IGCC) |  | 5035 >> Push Mount Cable Ties |

| Categories                                                                                               |
|----------------------------------------------------------------------------------------------------------|
| Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties |

