



PRODUCT-DETAILS

TYB232M
CABLE TIE 18LB 8IN NAT NYL WORK BOX



General Information	
Extended Product Type	TYB232M
Product ID	7TCG009020R0054
EAN	5414363435440
Catalog Description	CABLE TIE 18LB 8IN NAT NYL WORK BOX
Long Description	Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, Length of 202mm (8.0 Inches), Width of 2.3mm (0.09 Inches), Thickness of 1.10mm (0.04 Inches), Tensile Strength Rating of 80 Newtons (18 Pounds), Workbench Box Packaging

Ordering	
EAN	5414363435440
UPC	786209892744
Country of Origin	Hungary (HU)
Selling Unit of Measure	each

Dimensions	
Product Net Width	0.1 in 2.54 mm

Product Net Depth /	8 in
Length	202 mm

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	4 in 102 mm
Package Level 1 Height	8 in 203 mm
Package Level 1 Depth /	4 in
Length	102 mm
Package Level 2 Units	8000 piece
Package Level 2 Width	10 in 254 mm
Package Level 2 Height	9 in 229 mm
Package Level 2 Depth /	20 in
Length	508 mm

Technical UL/CSA

Flammability According to	V-2
UL94	

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.06 to 2.01 in 1.5 to 51 mm
Color	Natural
Effective Date	20080226
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	OTHER PLASTICS ITEMS
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	18 lb 80 N
Thickness	0.04 in 1 mm

Certificates and Declarations

Data Sheet, Technical	TDS000570
Information	
Declaration of Conformity	9AKK107492A9841
- CE	

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope

IDEA Granular Category
Code (IGCC)

5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

