TYB25MX 1/3



PRODUCT-DETAILS

## TYB25MX

## CABLE TIE 50LB 7IN UV BLK NYL WKBOX

General Information	
Extended Product Type	TYB25MX
Product ID	7TCG009450R0198
EAN	5414363067146
Catalog Description	CABLE TIE 50LB 7IN UV BLK NYL WKBOX
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (222 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 185.67mm (7.31 Inches), Width of 4.9mm (0.19 Inches), Thickness of 1.09mm (0.043 Inches), Tensile Strength Rating of 222 Newtons (50 Pounds), Workbench Box

Ordering	
EAN	5414363067146
UPC	786210380865
Country of Origin	Hungary (HU)
Selling Unit of Measure	each

2/3 TYB25MX

Dimensions	
Product Net Width	0.184 in
	4.67 mm
Product Net Depth /	7.2 in
Length	183 mm

Container Information	
Package Level 1 Units	1000 piece
Package Level 1 Width	6.3 in 160 mm
Package Level 1 Height	7.5 in 191 mm
Package Level 1 Depth / Length	6.3 in 160 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	13.4 in 340 mm
Package Level 2 Height	9,4 in 239 mm
Package Level 2 Depth / Length	33.1 in 841 mm

Technical UL/CSA	
Flammability According	V-2
to UL94	

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	0.12 to 1.89 in 3 to 48 mm
Color	Black
Effective Date	19980621
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	TY-RAP FASTENING
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	50 lb 222 N
Thickness	0.05 in 1.3 mm

Certificates and Declarations	
Data Sheet, Technical	TDS000518
Information	

TYB25MX 3/3

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$