TYF35M 1/3



PRODUCT-DETAILS

TYF35M

CABLE TIE 50LB 7IN NAT NYL MTG HOLE



General Information	
Extended Product Type	TYF35M
Product ID	7TCG009520R0076
EAN	5414363067306
Catalog Description	CABLE TIE 50LB 7IN NAT NYL MTG HOLE
Long Description	Integrated Mounting Hole Cable Tie - Side Mount, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, Length of 185mm (7.3 Inches), Width of Width of 4.6mm (0.18 Inch), Thickness of 1mm (0.04 Inches), Mounting Hole Size of 4.0mm (0.157 Inch), Tensile Strength Rating of 222 Newtons (50 Pounds), Bulk Pack

Ordering	
EAN	5414363067306
UPC	786210825564
Country of Origin	Hungary (HU)
Selling Unit of Measure	each

ь.					
1)ı	m	Δ	nsi	\sim	nc
$\boldsymbol{\nu}$		C	ıo	v	H

Product Net Width 0.185 in

TYF35M 2/3

	4.7 mi
Product Net Depth /	7.31
Length	185 mi
Container Information	
Package Level 1 Units	1000 piec
Package Level 2 Units	10000 piec
Package Level 2 Width	15.4
Package Level 2 Height	
rackage Level 2 Height	279 m
Package Level 2 Depth / Length	23.6 599 m
Congai	
Technical UL/CSA	
Flammability According to	
UL94	V
Additional Information	
Brand / Label	Ty-Ra
Bundle Diameter	0.12 to 1.77 3 to 45 m
Color	Natur
Effective Date	1968031
Lock Type	Stainless Steel Ba
Material	Nylon/Polyamide 6
Product Name	TY-RAP FASTENIN
Product Type	Integrated Mounting Ho
RoHS Date	9AKK107991A800
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easie to pull through bulkheads. Non-magnetic stainless steel locking device insure both maximum strength and the right tightness every tim
Tensile Strength	50
Thickness	222
	1 m
Certificates and Declarations	
Data Sheet, Technical Information	TDS00057
Classifications	
ETIM 6	EC000046 - Cable
ETIM 7	EC000046 - Cable
ETIM 8	EC000046 - Cable
UNSPSC	3912170
WEEE Category	Product Not in WEEE Scop
IDEA Granular Category Code (IGCC)	5044 >> Mounted Head Tid

TYF35M 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

