



PRODUCT-DETAILS

TYF535M

CBL TIE 50LB 7IN NAT NYL MTG HOLE



General Information	
Extended Product Type	TYF535M
Product ID	7TCG009520R0077
EAN	5414363067313
Catalog Description	CBL TIE 50LB 7IN NAT NYL MTG HOLE
Long Description	Integrated Mounting Hole Cable Tie - Side Mount, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, Length of 185mm (7.3 Inches), Width of Width of 4.6mm (0.18 Inch), Thickness of 1mm (0.04 Inches), Mounting Hole Size of 4.0mm (0.157 Inches), Tensile Strength Rating of 222 Newtons (50 pounds), 100 Pack

Ordering	
EAN	5414363067313
UPC	786210493671
Country of Origin	Hungary (HU)
Selling Unit of Measure	each

Dimensions	
Product Net Width	0.185 in 4.7 mm
Product Net Depth / Length	7.3 in 185 mm

Container Information	
Package Level 1 Units	100 piece
Package Level 2 Units	4000 piece
Package Level 2 Width	10.2 in 259 mm
Package Level 2 Height	9.1 in 231 mm
Package Level 2 Depth / Length	19.7 in 500 mm

Technical UL/CSA	
Flammability According to UL94	V-2

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	0.12 to 1.77 in 3 to 45 mm
Color	Natural
Effective Date	19980621
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	TY-RAP FASTENING
Product Type	Integrated Mounting Hole
RoHS Date	9AKK107991A8069
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Tensile Strength	50 lb 222 N
Thickness	0.04 in 1 mm

Certificates and Declarations	
Data Sheet, Technical Information	TDS000577

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703

WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5044 >> Mounted Head Ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

