VCST-10S.50 1/3



PRODUCT-DETAILS

VCST-10S.50 CONDUIT HDUTY FINE PA6 NW10 50M GRY



| VCST-10S.50 7TAA292240R0243 7630030284243 CONDUIT HDUTY FINE PA6 NW10 50M GRY ray Conduit, (VCS) Material - Polyamide 6, Conduit Size NW - 10, 50 Meters |
|--|
| 7630030284243 CONDUIT HDUTY FINE PA6 NW10 50M GRY ray Conduit, (VCS) Material - Polyamide 6, Conduit Size |
| CONDUIT HDUTY FINE PA6 NW10 50M GRY ray Conduit, (VCS) Material - Polyamide 6, Conduit Size |
| ray Conduit, (VCS) Material - Polyamide 6, Conduit Size |
| |
| |
| Rail Heavy Duty Conduit |
| |
| - |

VCST-10S.50 2/3

| Dimensions | |
|---|------------------------------------|
| Product Net Depth / Length | 50 r |
| Technical | |
| Number of Batteries | |
| Color | Gray |
| Material | Polyamide/Nylon 6 |
| Environmental | |
| WEEE Category | Product Not in WEEE Scope |
| Contain or Information | |
| Container Information Package Level 1 Units | 50 n |
| Package Level 1 Height | 50 II 0 mm |
| | 0 ir |
| Package Level 1 Depth / Length | 0 mm 0 ir |
| Package Level 1 Width | 0 mr 0 ir |
| | |
| Certificates and Declarations | VOOT 100 F |
| Data Sheet, Technical Information | VCST-10S.50 |
| Instructions and Manuals | VCST-10S.50 |
| Declaration of Conformity - CE | 9AKK107680A0674 |
| Classifications | |
| ETIM 8 | EC001175 - Corrugated plastic hose |
| UNSPSC | 39131706 |

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Installation\ Products\ \to\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \to\ Flexible\ Cable\ Protection\ Systems$

VCST-10S.50 3/3

