



PRODUCT-DETAILS

83350-500-02

83350-500-02 Telephone Gateway



General Information	
Extended Product Type	83350-500-02
Product ID	2TMA210160H0006
EAN	6955891805491
Catalog Description	83350-500-02 Telephone Gateway
Long Description	<p>For connecting an ABB-Welcome system with the analog inputs of a private branch exchange (PBX). Permits the use of a telephone (e.g., DECT, ISDN, mobile telephone) as indoor door communication station. Taking door calls, opening the door and switching the light via the telephone keypad (DTMF). Switching between the freely-programmable target numbers via the telephone keypad (DTMF). PIN protection for all configuration settings. For ABB-Welcome systems with up to 99 apartments. Programming via the telephone keypad (DTMF) or via web browser (requires IP gateway 83342-5..). 2 screw-type terminals for the analog a'/b' connection towards the private branch exchange (PBX).</p>

Installation	
Instructions and Manuals	No document needed
Installation Instruction	Bus system
Mounting Type	DIN-Rail

Technical	
Data Sheet, Technical Information	No document needed
Function	Distribute
Communication Interface	DECT

Design	
Material	Plastic

Material Compliance	
RoHS Information	2TMD081215X2102
RoHS Status	Following EU Directive 2011/65/EU
REACH Declaration	No declaration needed
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions	
Width in Number of Modular Spacings	4
Product Net Width	72 mm
Product Net Height	90 mm
Product Net Depth / Length	65 mm
Product Net Weight	145 g

Certificates and Declarations	
Declaration of Conformity - CE	2TMD082213X0007

Classifications	
ETIM 9	EC001349 - Additional device for door communication
WEEE Category	6. Small IT and Telecommunication Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → Door Entry & Access Control Systems → Welcome → System Devices

