M2700KP-S 1/3



PRODUCT-DETAILS

M2700KP-S

M2700KP-S Standalone keypad module, Stainless steel



| General Information | |
|--------------------------------------|---|
| Extended Product Type | M2700KP-S |
| Product ID | 2TMA200160X0005 |
| EAN | 6955891815551 |
| Catalog Description | M2700KP-S Standalone keypad module,Stainless steel |
| Long Description | Standalone assembled keypad module, for Welcome M application, with frame |
| Instructions and Manuals | No document needed |
| | No document needed |
| | |
| Technical | |
| Data Sheet, Technical Information | No document needed |

M2700KP-S 2/3

| Design | |
|------------------|-------------------------|
| Housing Material | None |
| Color | Natural Stainless Steel |

| Material Compliance | |
|------------------------------|-----------------------------------|
| RoHS Information | 2TMD081215X2102 |
| RoHS Status | Following EU Directive 2011/65/EU |
| REACH Declaration | No declaration needed |
| Conflict Minerals | 9AKK108468A3363 |
| Reporting Template (CMRT) | |

| Dimensions | |
|----------------------------|--------|
| Product Net Width | 135 mm |
| Product Net Height | 139 mm |
| Product Net Depth / Length | 29 mm |
| Product Net Weight | 625 g |

| Certificates and Declarations | |
|-------------------------------|-----------------|
| Declaration of | 2TMD081313X0106 |
| Conformity - CE | |

| Classifications | |
|-----------------|--|
| ETIM 9 | EC000349 - Functional module for door communication |
| UNSPSC | 43221525 |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer |

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow Door\ Entry\ \&\ Access\ Control\ Systems \rightarrow Welcome \rightarrow Access\ Control$

M2700KP-S 3/3









3605