




PRODUCT-DETAILS

# WRB-400

## WRB-400 Bowden Wire



| General Information   |                                                                                                                                                         |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | WRB-400                                                                                                                                                 |
| Product ID            | 1SAZ701903R1011                                                                                                                                         |
| EAN                   | 4013614486913                                                                                                                                           |
| Catalog Description   | WRB-400 Bowden Wire                                                                                                                                     |
| Long Description      | WRB-400 bowden wire with push button and 400mm length.<br>In combination with WRH-F holder, the bowden wire is used to reset TF and EF overload relays. |

| Ordering               |          |
|------------------------|----------|
| Minimum Order Quantity | 1 piece  |
| Customs Tariff Number  | 85389099 |

| Popular Downloads                 |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SBC100214C0202 |
| Instructions and                  | 2CDC106075M6802 |

Manuals

|                                      |                 |
|--------------------------------------|-----------------|
| Instructions and<br>Manuals (Part 2) | 1SAC200017M0002 |
| CAD Dimensional<br>Drawing           | 2CDC001079B0201 |

Dimensions

|                               |         |
|-------------------------------|---------|
| Product Net Width             | 12 mm   |
| Product Net Height            | 413 mm  |
| Product Net Depth /<br>Length | 12 mm   |
| Product Net Weight            | 0.03 kg |

Technical

|              |       |
|--------------|-------|
| Suitable For | WRH-F |
|--------------|-------|

Material Compliance

|                                                   |                                                                        |
|---------------------------------------------------|------------------------------------------------------------------------|
| Conflict Minerals<br>Reporting Template<br>(CMRT) | 9AKK108467A5658                                                        |
| REACH Declaration                                 | 2CMT2021-006202                                                        |
| RoHS Information                                  | 2CMT2021-006277                                                        |
| RoHS Status                                       | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Toxic Substances<br>Control Act - TSCA            | 2CMT2023-006525                                                        |
| WEEE Category                                     | Product Not in WEEE Scope                                              |

Certificates and Declarations

|                                     |                 |
|-------------------------------------|-----------------|
| Declaration of<br>Conformity - CE   | 1SAD101100-3504 |
| Declaration of<br>Conformity - UKCA | 1SAD201100-3504 |
| UL Certificate                      | E48139-20090126 |

Container Information

|                                   |               |
|-----------------------------------|---------------|
| Package Level 1 Units             | 1 piece       |
| Package Level 1 Width             | 20 mm         |
| Package Level 1 Height            | 220 mm        |
| Package Level 1 Depth /<br>Length | 150 mm        |
| Package Level 1 Gross<br>Weight   | 0.031 kg      |
| Package Level 1 EAN               | 4013614486913 |
| Package Level 2 Units             | 100 piece     |
| Package Level 2 Width             | 180 mm        |
| Package Level 2 Height            | 220 mm        |
| Package Level 2 Depth /<br>Length | 620 mm        |
| Package Level 2 Gross             | 3.6 kg        |

Weight

Classifications

|                                    |                                                                      |
|------------------------------------|----------------------------------------------------------------------|
| ETIM 4                             | EC002498 - Accessories for low-voltage switch technology             |
| ETIM 5                             | EC002498 - Accessories for low-voltage switch technology             |
| ETIM 6                             | EC002498 - Accessories for low-voltage switch technology             |
| ETIM 7                             | EC002498 - Accessories for low-voltage switch technology             |
| ETIM 8                             | EC002498 - Accessories/spare parts for low-voltage switch technology |
| eClass                             | V11.0 : 27371392                                                     |
| UNSPSC                             | 39122221                                                             |
| IDEA Granular Category Code (IGCC) | 5219 >> Switch part or accessory                                     |
| E-Number (Finland)                 | 3707280                                                              |

Categories

Low Voltage Products and Systems → Control Products → Contactors → Electronic Overload Relays  
Low Voltage Products and Systems → Control Products → Contactors → Thermal Overload Relays

