



PRODUCT-DETAILS

XPCSG-48BG.30
3-LYERCOND PA12/PA6 NW48 BLK/GN 30M



General Information	
Extended Product Type	XPCSG-48BG.30
Product ID	7TCA292000R8835
EAN	7630031214942
Catalog Description	3-LYERCOND PA12/PA6 NW48 BLK/GN 30M
Long Description	Very Flexible, Heavy Duty, 3 Layer Conduit, Course Profile, Polyamide 12/Polyamide 6, Conduit Size NW48, Black Exterior, Green Interior, 30 Meters

Additional Information	
Application	External, Dynamic Applications in Railway Vehicles
Product Type	Heavy Duty Conduit

Ordering	
EAN	7630031214942
UPC	786210177335

Dimensions	
Product Net Depth / Length	30 m

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 12, Polyamide 6

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	30 m
Package Level 1 Height	275.082 mm 10.83 in
Package Level 1 Depth / Length	830.072 mm 32.68 in
Package Level 1 Width	793.75 mm 31.25 in

Certificates and Declarations	
Data Sheet, Technical Information	9AKK107492A1799
Instructions and Manuals	XPCSG-48BG.30
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001175 - Corrugated plastic hose
UNSPSC	39131706

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	

