



PRODUCT-DETAILS

XR90G-56BR.30
CONDUIT 3LAYR PA12 NW56 BLK/YEL/RED



Product image
not available

General Information	
Extended Product Type	XR90G-56BR.30
Product ID	7TCA292000R7415
EAN	7630031202123
Catalog Description	CONDUIT 3LAYR PA12 NW56 BLK/YEL/RED
Long Description	Three Layer Corrugated Very Flexible, Medium-Duty Conduit, Size NW56/68 Metric, 110 Millimeter Static Radius, 270 Millimeter Dynamic Radius, Polyamide 12, Outer Layer Black, Intermediate Layer Yellow, Inner Layer Red

Additional Information	
Application	In Robotics and Automation Industry
Product Type	Medium Wall Conduit

Ordering	
EAN	7630031202123
UPC	786210066417

Dimensions	
Product Net Depth / Length	30 m

Technical	
Number of Batteries	0
Color	Red, Yellow, Black
Material	Polyamide 12

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	1 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm 0 in

Certificates and Declarations	
Data Sheet, Technical Information	XR90G-56BR.30
Instructions and Manuals	XR90G-56BR.30
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001175 - Corrugated plastic hose
UNSPSC	39131706

Categories	
------------	--

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available