



PRODUCT-DETAILS

**XSOLLG-23BG.50**  
**COND CRSE PA12/6 NW23 50M BLK/GN**



| General Information   |                                                                                                                                                                                                                                                                               |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | XSOLLG-23BG.50                                                                                                                                                                                                                                                                |
| Product ID            | 7TAA292240R0309                                                                                                                                                                                                                                                               |
| EAN                   | 7630030282089                                                                                                                                                                                                                                                                 |
| Catalog Description   | COND CRSE PA12/6 NW23 50M BLK/GN                                                                                                                                                                                                                                              |
| Long Description      | Coarse Profile Three Layer Corrugated Medium-Wall Highly Flexible Conduit, (XSOLL) Material - Outer Layer - Polyamide 12, Intermediate Layer - Bonding Compound, Inner Layer - Polyamide 6, Color - Outer Layer - Black, Inner Layer - Green, Conduit Size NW - 23, 50 Meters |

| Additional Information |                       |
|------------------------|-----------------------|
| Application            | Building Construction |
| Product Type           | Medium Wall Conduit   |

| Ordering |               |
|----------|---------------|
| EAN      | 7630030282089 |
| UPC      | 786209977908  |

|                            |      |
|----------------------------|------|
| <b>Dimensions</b>          |      |
| Product Net Depth / Length | 50 m |

|                     |                                                  |
|---------------------|--------------------------------------------------|
| <b>Technical</b>    |                                                  |
| Number of Batteries | 0                                                |
| Color               | Black                                            |
| Material            | Outer Layer Polamide 12, Inner Layer Polyamide 6 |

|                      |                           |
|----------------------|---------------------------|
| <b>Environmental</b> |                           |
| WEEE Category        | Product Not in WEEE Scope |

|                                |              |
|--------------------------------|--------------|
| <b>Container Information</b>   |              |
| Package Level 1 Units          | 50 m         |
| Package Level 1 Height         | 0 mm<br>0 in |
| Package Level 1 Depth / Length | 0 mm<br>0 in |
| Package Level 1 Width          | 0 mm<br>0 in |

|                                      |                 |
|--------------------------------------|-----------------|
| <b>Certificates and Declarations</b> |                 |
| Data Sheet, Technical Information    | XSOLLG-23BG.50  |
| Instructions and Manuals             | XSOLLG-23BG.50  |
| Declaration of Conformity - CE       | 9AKK107680A0674 |

|                        |                                    |
|------------------------|------------------------------------|
| <b>Classifications</b> |                                    |
| ETIM 8                 | EC001175 - Corrugated plastic hose |
| UNSPSC                 | 39131706                           |

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

