




PRODUCT-DETAILS

XT3D 250 3p F F

XT3D 250 3p F F



General Information

Extended Product Type	XT3D 250 3p F F
Product ID	1SDA068210R1
EAN	8015644021061
Catalog Description	XT3D 250 3p F F
Long Description	SWITCH-DISCONNECTOR TMAX XT3D 250 FIXED THREE-POLE WITH FRONT TERMINALS

Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental

Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
SCIP	ec4e48ec-00ba-4292-a619-b515dc7db68e Italy (IT)
Simplified SCIP	28d34477-737f-4462-8673-a8507e52fc53 Germany (DE) d88241e5-1ed2-4c4b-81b8-8cf282685b79 France (FR) fe567b80-8b13-417f-87e3-055d07f3ff79 Sweden (SE) 7da146d4-aeda-45b5-87a9-6a1edf93b776 Germany (DE) a136d772-6d86-418c-b05e-7407d7467a62 Germany (DE) dd7ff8d6-7a82-4087-85e3-04c1d2bfdb98 France (FR) 651d7b94-5fb5-4994-b2e4-059e9225c2f1 Netherlands (NL) a0947815-fbae-48f5-8214-5d2c4556a13d Spain (ES) 55327bf6-7c15-4472-a2e8-1e815f34b3d8 Netherlands (NL) 83b31be7-99b8-4461-a756-00f817a3fc92 Poland (PL) 851089e1-19a4-4b9e-97a6-4c042a68529e Norway (NO) 32b9cc7f-e601-4ceb-bc63-38ccee0aa9ec Finland (FI) 84f2b593-faed-456f-baef-b0db301fab12 Netherlands (NL) 08098874-581e-4be6-aad1-cc21f09bf3f4 Germany (DE) 918c74ed-9289-4cc4-ad0f-0aec4c32fed2 Denmark (DK) 2829fcf2-97be-4400-b212-82d5f42cf768 Germany (DE) ba98d66c-4cf2-4f27-8d3d-f5ada16dcb72 Croatia (HR) 88e559e2-2d39-402e-9e1a-d4d192161031 Czech Republic (CZ) d02566e6-8c4c-40d0-b6a0-61af01b43687 Poland (PL) 777d07e1-742a-4174-be07-0ae1a710db3b Netherlands (NL) d2a11460-efe4-48e9-a6ed-6495e0e08494 Netherlands (NL) 70b1a1b6-c1ae-4ee6-b8aa-0848c2db4b21 Estonia (EE) 22dcc9b3-bf47-4727-8157-24200ac03d31 Greece (GR) 677b3751-20b1-43f3-bf25-63e10472f139 Portugal (PT) ae82c7bd-7f6a-4fef-a0de-7a45060535e1 Bulgaria (BG) d97e1c44-fd80-44e8-97f7-c41ded3fc253 Sweden (SE) bfffd33a1-a83b-47e9-9660-815ed3fe6465 Poland (PL)

Ordering

Order Code US and Canada	XT3DE3250DFF000XXX
EAN	8015644021061
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

Dimensions

Product Net Width	105 mm
Product Net Height	150 mm
Product Net Depth / Length	70 mm
Product Net Weight	1.566 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	153 mm
Package Level 1 Height	189 mm
Package Level 1 Depth / Length	158 mm
Package Level 1 Gross Weight	1.648 kg
Package Level 1 EAN	8015644021061

Additional Information

Connecting Capacity Main Circuit	Busbar 85..192 mm²
Electrical Durability	120 cycles per hour 8000 cycle
Mechanical Durability	240 cycles per hour 25000 cycle

Number of Poles	3
Opening Time	CB with SOR 15 ms CB with UVR 15 ms
Order Multiple	1 piece
Power Loss	at Rated Operating Conditions per Pole 17.8 W
Product Main Type	SACE Tmax XT
Product Name	Lasttrennschalter
Product Type	Switch Disconnecter
Rated Frequency (f)	50 / 60 Hz
Rated Impulse Withstand Voltage (U _{imp})	8 kV
Rated Insulation Voltage (U _i)	800 V
Rated Operational Voltage	690 V AC 500 V DC
Rated Short-time Withstand Current Low Voltage (I _{cw})	for 1 s 3 kA
Rated Uninterrupted Current (I _u)	250 A
Recommended Screw Driver	Main Circuit M8
RoHS Date	NA
Short-Circuit Performance Level	D
Standards	IEC60947-2
Sub-type	XT3
Terminal Connection Type	Front
Terminal Type	Bolt
Tightening Torque	8 N·m
Version	F
CAD Dimensional Drawing	1SDH001295R0409

Certificates and Declarations

ATEX Certificate	No certification needed
Data Sheet, Technical Information	1SDC210100D0206 1SDC210099D0206
Declaration of Conformity - CE	9AKK106713A5530
UL Certificate	No certification needed
VDE Certificate	No certification needed
Dimension Diagram	1SDH000720R0100
Mechanical Drawings	1SDH000720R0100
Wiring Diagram	1SDM000068R0001
Instructions and Manuals	1SDH000720R0001

Classifications

ETIM 7	EC000216 - Switch disconnecter
ETIM 8	EC000216 - Switch disconnecter
ETIM 9	EC000216 - Switch disconnecter (low voltage)
Object Classification Code	Q
UNSPSC	39120000
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371403

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax XT

