YLS7.9-360A 1/3



PRODUCT-DETAILS

YLS7.9-360A

CABLE TIE 250LB 14IN 304SS BALL-LCK



General Information	
Extended Product Type	YLS7.9-360A
Product ID	7TCG009410R0041
EAN	5414363130208
Catalog Description	CABLE TIE 250LB 14IN 304SS BALL-LCK
Long Description	Ball-Lock 304 Stainless Steel Cable Tie, Uncoated, for Temperatures up to 300 Degrees Celsius (572 F) for Indoor and Outdoor Applications, Suitable for High Temperature Environments, Length of 360mm (14.17 Inches), Width of 7.9mm (0.311 Inches), Thickness of 0.26mm (0.01 Inches), Tensile Strength Rating of 1110 Newtons (250 pounds)

Ordering	
E-Number (Finland)	1381443
EAN	5414363130208
UPC	786210272023
Country of Origin	India (IN)
Selling Unit of Measure	each

2/3 YLS7.9-360A

Dimensions	
Product Net Width	0.311 in
	7.9 mm
Product Net Depth /	14.17 in
Length	360 mm

Container Information	
Package Level 1 Units	100 piece
Package Level 1 Width	5.9 in 150 mm
Package Level 1 Height	0.6 in 15 mm
Package Level 1 Depth / Length	16.5 in 419 mm
Package Level 2 Units	2500 piece
Package Level 2 Width	9.4 in 239 mm
Package Level 2 Height	5.9 in 150 mm
Package Level 2 Depth / Length	16.1 in 409 mm

Additional Information	
Application	For Temperatures up to 300 Degrees Celsius (572 F) for Indoor and Outdoor Applications, Suitable for High Temperature Environments
Brand / Label	Ty-Rap
Color	Metallic
Effective Date	19990329
Lock Type	Ball-Lock
Material	304 Stainless Stee
Product Name	STAINLESS STEEL CABLE TIE
Product Type	Stainless Stee
RoHS Date	9AKK108466A7851
Special Functions	Uncoated
Tensile Strength	250 lb
	1110 N
Thickness	0.01 in
	0.25 mm

Certificates and Declarations		
Data Sheet, Technical	YLS7.9-360A	
Information		

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category	5046 >> Stainless Steel Ties

YLS7.9-360A 3/3

Code (IGCC)

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

