



PRODUCT-DETAILS

N2101.2 PL

Switch 1-way Double Pole 2-pole switch with LED exchangeable Silver - Zenit



General Information	
Extended Product Type	N2101.2 PL
Product ID	2CLA210120N1301
EAN	8427238070117
Catalog Description	Switch 1-way Double Pole 2-pole switch with LED exchangeable Silver - Zenit
Long Description	Color: Silver. Rated voltage: 110 - 250 Vac Rated current: 16 AX. Rated power iLED (230/127 Vac): 200/100 W. Screwless terminals Optional: locator LED lamp N2192. Size: 1 module.

Installation	
Instructions and Manuals	2CLX210109N1001
Mounting Type	Flush Mounted
Type of Fastening	Engage (Snap)

Technical	
Data Sheet, Technical Information	9AKK10103A5108
Function	Function lighting: Orientation
Number of Rocker Switches	1
Wiring Configuration	2-pole switch
Actuator Type	Rocker/button
Connection Type	Plug Clamp
Lamp Type	LED exchangeable
Illumination	Optional
Number of Batteries	0

Electrical	
Rated Voltage (U _r)	250 V
Rated Current (I _n)	16 A
Maximum Switching Current	Fluorescent Lamps 16

Design	
Design Range	Zenit
Surface Finishing	Decor Matt
Material	Plastic Thermoplastic
Label Space Provided	No
Color	Silver

Material Compliance	
RoHS Information	2CLC210120N1301
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK108467A7464
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions	
Product Net Width	22 mm
Product Net Height	44 mm
Product Net Weight	0.023 kg

Ordering	
Replaced Product ID (OLD)	2CLA210120N1302 2CLA210120N1303

Certificates and Declarations	
Declaration of Conformity - CE	9AKK106930A5900

Classifications	
ETIM 9	EC001590 - Installation switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories
Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Mechanical Controls

