




PRODUCT-DETAILS

N2104.7 AA

Pushbutton None Single push button 1 pole,
1NO 0NC 1CO Anthracite B - Zenit



| General Information | |
|-----------------------|--|
| Extended Product Type | N2104.7 AA |
| Product ID | 2CLA210470N1601 |
| EAN | 8427238229454 |
| Catalog Description | Pushbutton None Single push button 1 pole, 1NO 0NC 1CO Anthracite B - Zenit |
| Long Description | Color: Total Anthracite. Rated voltage: 110 - 250 Vac. Rated current: 16 A. Screwless terminals. Normally Open (NO) contact. Optional: locator LED lamp N2191. Size: 1 module. |

| Installation | |
|--------------------------|-------------------------|
| Instructions and Manuals | 2CLX210109N1001 |
| Mounting Type | Flush mounted (plaster) |
| Type of Fastening | Engage (Snap) |

| Technical | | |
|-----------------------------------|----------------|---|
| Data Sheet, Technical Information | 9AKK10103A5108 | |
| Number of Poles | | 1 |
| Number of Rocker Switches | | 1 |
| Actuator Type | Rocker | |
| Connection Type | Screw | |
| Number of Batteries | | 0 |

| Electrical | | |
|---------------------------------|-------|---|
| Rated Voltage (U _r) | 250 V | |
| Rated Current (I _n) | 16 A | |
| Number of Contacts CO | | 1 |
| Number of Contacts NC | | 0 |
| Number of Contacts NO | | 1 |

| Design | | |
|-------------------|-----------------------|--|
| Design Range | Zenit | |
| Surface Finishing | Decor Glossy | |
| Material | Plastic Thermoplastic | |
| Legend | None | |
| Color | Anthracite B | |

| Material Compliance | | |
|---|--|--|
| RoHS Information | 2CLC210470N1601 | |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 | |
| REACH Declaration | 9AKK108467A7464 | |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 | |

| Environmental | | |
|----------------------|------|--|
| Degree of Protection | IP20 | |

| Dimensions | | |
|----------------------------------|-------|--|
| Product Net Width | 22 mm | |
| Product Net Height | 44 mm | |
| Product Net Depth / Length | 25 mm | |
| Built-In Depth (t ₂) | 25 mm | |

| Certificates and Declarations | | |
|-------------------------------|--|--|
|-------------------------------|--|--|

Declaration of
Conformity - CE

9AKK106930A5900

Classifications

| | |
|----------------|--|
| ETIM 9 | EC000029 - Push button |
| UNSPSC | 39122226 |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer |

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Mechanical Controls

