



PRODUCT-DETAILS

N2204.8 BL

Pushbutton None Single push button 1 pole,
1NO 0NC 1CO White - Zenit



General Information	
Extended Product Type	N2204.8 BL
Product ID	2CLA220480N1101
EAN	8427238138657
Catalog Description	Pushbutton None Single push button 1 pole, 1NO 0NC 1CO White - Zenit
Long Description	Color: White. Rated voltage: 110 - 250 Vac Rated current: 16 A Screwless terminals 1-gang, 1-way - Normally Opened (NO) contact Optional: locator LED lamp N2191. Size: 2 modules.
Installation	
Instructions and Manuals	2CLX210109N1001
Mounting Type	Flush Mounted
Type of Fastening	Engage (Snap)

Technical	
Data Sheet, Technical Information	9AKK10103A5108
Contacts Configuration	1 NO, 0 NC
Number of Poles	1
Number of Rocker Switches	1
Actuator Type	Rocker
Connection Type	Screwless
Number of Batteries	0

Electrical	
Rated Voltage (U _r)	250 V
Rated Current (I _n)	16 A
Number of Contacts CO	1
Number of Contacts NC	0
Number of Contacts NO	1

Design	
Design Range	Zenit
Surface Finishing	Untreated Glossy
Material	Plastic Thermoplastic
Legend	None
RAL Number	RAL 9010 - Pure White
Color	White

Material Compliance	
RoHS Information	2CLC220480N1101
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK108467A7464
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions	
Product Net Width	44 mm
Product Net Height	44 mm
Product Net Depth / Length	25 mm
Product Net Weight	0.032 kg
Built-In Depth (t ₂)	25 mm

Ordering

Replaced Product ID	2CLA220480N1102
(OLD)	2CLA220480N1103

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
-----------------------------------	-----------------------

Classifications

ETIM 9	EC000029 - Push button
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Mechanical Controls



360°