N2204.8 PL 1/3



PRODUCT-DETAILS

## N2204.8 PL

# Pushbutton None Single push button 1 pole, 1NO ONC 1CO Silver - Zenit



N2204.8 PL
2CLA220480N1301
8427238138664
Pushbutton None Single push button 1 pole, 1NO 0NC 1CO Silver - Zenit
Color: Silver. Rated voltage: 110 - 250 Vac Rated current: 16 A Screwless terminals 1-gang, 1-way - Normally Opened (NO) contact Optional: locator LED lamp N2191. Size: 2 modules.

Installation	
Instructions and Manuals	2CLX210109N1001
Mounting Type	Flush Mounted
Type of Fastening	Engage (Snap)

N2204.8 PL 2/3

Technical	
Data Sheet, Technical Information	9AKK10103A510
Contacts Configuration	1 NO, 0 No
Number of Poles	
Number of Rocker Switches	
Actuator Type	Rocke
Connection Type	Screwles
Number of Batteries	
Electrical	
Rated Voltage (U <sub>r</sub> )	250
Rated Current (I <sub>n</sub> )	16
Number of Contacts CO	
Number of Contacts NC	
Number of Contacts NO	

Design	
Design Range	Zenit
Surface Finishing	Decor Glossy
Material	Plastic Thermoplastic
Legend	None
Color	Silver

Material Compliance	
Conflict Minerals	9AKK108468A3363
Reporting Template	
(CMRT)	

Environmental	
Ambient Air	Operation -5 +35 °C
Temperature	Storage -5 +50 °C
Degree of Protection	IP20

Dimensions	
Product Net Width	44 mm
Product Net Height	44 mm
Product Net Depth / Length	25 mm
Product Net Weight	0.032 kg
Built-In Depth (t <sub>2</sub> )	25 mm

## Ordering

N2204.8 PL 3/3

 Replaced Product ID
 2CLA220480N1302

 (OLD)
 2CLA220480N1303

#### **Certificates and Declarations**

Declaration of 9AKK106930A5900
Conformity - CE

#### Classifications

ETIM 9	EC000029 - Push button
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

### Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Cover\ Plates\ and\ Control\ Elements \rightarrow Mechanical\ Controls$ 









3605