N2244.4 BB 1/3



PRODUCT-DETAILS

## N2244.4 BB DND/MUR room White B - Zenit



General Information	
Extended Product Type	N2244.4 BB
Product ID	2CLA224440N1201
EAN	8427238229799
Catalog Description	DND/MUR room White B - Zenit
Long Description	Color: Total White. Rated voltage: 110 - 250 Vac. Rated current: 16 AX. Rated power iLED (230/127 Vac): 200/100 W. Non interlocked gangs. Gang 1: Make Up Room (MUR) green indicator LED. Gang 2: Do Not Disturb (DND) red indicator LED. To be connected to N2280.4 corridor module. Size: 2 modules.

ns	tal	lat	ΙO	n

Instructions and Manuals 2CLX224449A1001

## Technical

N2244.4 BB 2/3

Data Sheet, Technical Information	9AKK10103A5108
Number of Batteries	0
Electrical	
Rated Voltage (U <sub>r</sub> )	250 V
Design	
Design Range	Zenit
Surface Finishing	Untreated Glossy
Material	Plastic Thermoplastic
Color	White B
Material Compliance	
RoHS Information	2CLC224440N1201
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration Conflict Minerals Reporting Template (CMRT)	9AKK108467A7464 9AKK108468A3363
Certificates and Declarations	
	9AKK106930A5900
Declaration of Conformity  - CE	3AN 100330A3300
Classifications	
Classifications	
ETIM 9	EC001590 - Installation switch
UNSPSC	39122226

## Categories

WEEE Category

WEEE B2C / B2B

 $\mbox{Low Voltage Products and Systems} \rightarrow \mbox{Wiring Accessories - Light Switch Ranges} \rightarrow \mbox{Cover Plates and Control Elements} \rightarrow \mbox{Electronic Controls}$ 

5. Small Equipment (No External Dimension More Than 50 cm)

**Business To Consumer** 

N2244.4 BB 3/3





