N2244.4 PL 1/3



PRODUCT-DETAILS

N2244.4 PL DND/MUR room Silver - Zenit



General Information	
Extended Product Type	N2244.4 PL
Product ID	2CLA224440N1301
EAN	8427238198392
Catalog Description	DND/MUR room Silver - Zenit
Long Description	Color: Silver. Rated voltage: 110 - 250 Vac Rated current: 16 AX. Rated power iLED (230/127 Vac): 200/100 W. Non interlocked gangs Gang 1: Make Up Room (MUR) green symbol Gang 2: Do Not Disturb (DND) red symbol To be connected to N2280.4 corridor module Size: 2 modules.

Installation	
Instructions and	2CLX224449A1001
Manuals	

N2244.4 PL 2/3

Technical	
Data Sheet, Technical	9AKK10103A5108
Information	
Number of Batteries	0
 Electrical	
Rated Voltage (U _r)	250 V
 Design	
Design Range	Zenit
Surface Finishing	Deco
Material	Mati Plastic Thermoplastic
Color	Silver
Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Environmental	
Ambient Air Temperature	Operation -5 +35 °C Storage -5 +50 °C
Dimensions	
Product Net Width	44 mm
Product Net Height	44 mm
Ordering	
Replaced Product ID	2CLA224440N1302
(OLD)	2CLA224440N1303
Declaration of Conformity - CE	9AKK106930A5900
•	
Classifications	
ETIM 9	EC001590 - Installation switch
UNSPSC	39122226
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consume
@ 2021 ABB All rights reserved	2024 /04 /15 Subject to change

N2244.4 PL 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Cover\ Plates\ and\ Control\ Elements \rightarrow Electronic\ Control\ Elements\ Accessories\ -\ Light\ Switch\ Ranges\ Accessories\ Accessories\ -\ Light\ Switch\ Ranges\ Accessories\ A$

