N2280.4 AA 1/3



PRODUCT-DETAILS

N2280.4 AA

DND/MUR corridor None DND/MUR corridor unit 1 pole, 1NO 0NC 1CO Anthracite B - Zenit



General Information	
Extended Product Type	N2280.4 AA
Product ID	2CLA228040N1601
EAN	8427238229973
Catalog Description	DND/MUR corridor None DND/MUR corridor unit 1 pole, 1NO 0NC 1CO Anthracite B - Zenit
Long Description	Color: Total Anthracite. Rated voltage: 250Vac. Rated power: 10A. Do Not Disturb and Make Up Room LED signalling included. Push-button with bell symbol. To be connected to N2244.4 DND/MUR room module and N2224 electronic bell. Size: 2 modules

Installation	
Instructions and Manuals	2CLX224449A1001
Mounting Type	Flush mounted (plaster)
Type of Fastening	Engage (Snap)

N2280.4 AA 2/3

Technical	
Data Sheet, Technical	9AKK10103A5108
Information Number of Poles	1
Number of Rocker	1
Switches	•
Actuator Type	Push button
Connection Type	Screw
Number of Batteries	0
Electrical	
Rated Voltage (U _r)	250 V
Rated Current (In)	16 A
Number of Contacts CO	1
Number of Contacts NC	0
Number of Contacts NO	1
Design	
Design Range	Zenit
Surface Finishing	Decor
	Glossy
Material	Plastic Thermoplastic
Legend	None
Color	Anthracite B
Material Compliance	
Conflict Minerals	9AKK108468A3363
Reporting Template (CMRT)	
Environmental	
Degree of Protection	IP20
Dimensions	
Product Net Width	44 mm
Product Net Height	44 mm
Product Net Depth /	25 mm
Length	
Built-In Depth (t ₂)	25 mm
Certificates and Declarations	
Declaration of Conformity - CE	No declaration needed

N2280.4 AA 3/3

Classifications		
ETIM 9	EC000029 - Push button	
UNSPSC	39101628	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B	Business To Consumer	

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Cover\ Plates\ and\ Control\ Elements \rightarrow Electronic\ Controls$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Cover\ Plates\ and\ Control\ Elements \rightarrow Mechanical\ Controls$





