



PRODUCT-DETAILS

N2288.1 AN

Socket outlet Schuko Without imprint Protective contact (SCHUKO) with Hinged Lid Anthracite - Zenit



| General Information      |                                                                                                                                                                                           |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type    | N2288.1 AN                                                                                                                                                                                |
| Product ID               | 2CLA228810N1801                                                                                                                                                                           |
| EAN                      | 8427238069845                                                                                                                                                                             |
| Catalog Description      | Socket outlet Schuko Without imprint Protective contact (SCHUKO) with Hinged Lid Anthracite - Zenit                                                                                       |
| Long Description         | Color: Anthracite.<br>Rated voltage: 250 Vac<br>Rated current: 16A<br>Type F: 2P + E<br>Shuttered for child safety<br>Screw terminals<br>Lid with notch. 180° opening<br>Size: 2 modules. |
| Installation             |                                                                                                                                                                                           |
| Instructions and Manuals | 2CLX210109N1001                                                                                                                                                                           |
| Mounting Type            | Flush Mounted                                                                                                                                                                             |
| Type of Fastening        | Snapper Mounting                                                                                                                                                                          |

|                         |     |
|-------------------------|-----|
| <b>ABB EcoSolutions</b> |     |
| ABB EcoSolutions        | Yes |

|                                           |                           |
|-------------------------------------------|---------------------------|
| <b>Circular Value</b>                     |                           |
| Circular Design Principles Ecodesign      | 9AKK108468A3800           |
| Sustainable Material Content in Packaging | Recycled Cardboard - 92 % |
| Offered with Extended Lifetime            | Product Modularity        |
| Offered with Takeback Services            | Take Back for Recycling   |

|                                         |                 |
|-----------------------------------------|-----------------|
| <b>Eco Transparency</b>                 |                 |
| Environmental Product Declaration - EPD | 9AKK108468A7775 |

|                                   |                             |
|-----------------------------------|-----------------------------|
| <b>Technical</b>                  |                             |
| Data Sheet, Technical Information | 9AKK10103A5108              |
| Number of Phases                  | 2                           |
| Number of Active Pin Terminals    | 0                           |
| Number of Gangs                   | 1                           |
| Connection Type                   | Screw                       |
| Socket Outlet Type                | Protective Contact (SCHUKO) |
| Number of Batteries               | 0                           |
| Protection Cap Type               | Hinged Lid                  |

|                         |            |
|-------------------------|------------|
| <b>Electrical</b>       |            |
| Rated Voltage ( $U_r$ ) | 250 V      |
| Rated Current ( $I_n$ ) | 16 A       |
| Frequency (f)           | 50...60 Hz |

|                      |                       |
|----------------------|-----------------------|
| <b>Design</b>        |                       |
| Design Range         | Zenit                 |
| Surface Finishing    | Decor Matt            |
| Material             | Plastic Thermoplastic |
| Label Space Provided | No                    |
| Legend               | Without imprint       |
| Color                | Anthracite            |

|                                      |                                                                        |
|--------------------------------------|------------------------------------------------------------------------|
| <b>Material Compliance</b>           |                                                                        |
| RoHS Information                     | 2CLC228810N1801                                                        |
| RoHS Status                          | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| REACH Declaration                    | 9AKK108467A7464                                                        |
| Conflict Minerals Reporting Template | 9AKK108468A3363                                                        |

(CMRT)

Environmental

|                         |                                                  |
|-------------------------|--------------------------------------------------|
| Ambient Air Temperature | Operation -5 ... +35 °C<br>Storage -5 ... +50 °C |
| Degree of Protection    | IP20                                             |

Dimensions

|                    |          |
|--------------------|----------|
| Product Net Width  | 44 mm    |
| Product Net Height | 44 mm    |
| Product Net Weight | 0.048 kg |

Ordering

|                              |                 |
|------------------------------|-----------------|
| Replaced Product ID<br>(OLD) | 2CLA228810N1802 |
|------------------------------|-----------------|

Certificates and Declarations

|                                   |                 |
|-----------------------------------|-----------------|
| Declaration of Conformity<br>- CE | 9AKK107046A9871 |
|-----------------------------------|-----------------|

Classifications

|                |                                                            |
|----------------|------------------------------------------------------------|
| ETIM 9         | EC000125 - Socket outlet                                   |
| UNSPSC         | 39121406                                                   |
| WEEE Category  | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer                                       |

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Socket Outlets

