



## PRODUCT-DETAILS

# N2251.8 AN

## TV outlet SAT 2 gang Anthracite - Zenit



## General Information

|                                                          |                                                                           |
|----------------------------------------------------------|---------------------------------------------------------------------------|
| Extended Product Type                                    | N2251.8 AN                                                                |
| Product ID                                               | 2CLA225180N1801                                                           |
| EAN                                                      | 8427238060507                                                             |
| Catalog Description                                      | TV outlet SAT 2 gang Anthracite - Zenit                                   |
| Long Description                                         | Color: Anthracite.                                                        |
|                                                          | TV-R and SAT double outlet - Intermediate.                                |
|                                                          | Installation as an intermediate outlet in series connected to each other. |
|                                                          | Output connectors (C1 / C2):                                              |
|                                                          | IEC male 9,52 mm. diam. / IEC female 9,52 mm. diam.                       |
|                                                          | Frequency range (I/O / C1 / C2):                                          |
|                                                          | 5 - 2.400 MHz / 5 - 2.400 MHz / 5 - 2.400 MHz.                            |
|                                                          | Basic loss (FM / TV / SAT):                                               |
|                                                          | 10,0±1,0 dB / 10,0±1,0 dB / 12,0±2,0 dB.                                  |
|                                                          | Through loss (FM / TV / SAT):                                             |
|                                                          | 2,5±0,5 / 2,5±0,7 / 3,0±1,0.                                              |
|                                                          | Directivity (FM / TV / SAT): >20 / >12 / >5.                              |
| Isolation (FM / TV / SAT): >45 / >30 / >28.              |                                                                           |
| Return loss (VR / FM / TV / SAT): >13 / >13 / >12 / >12. |                                                                           |
| DC path (Vdc / mA / Tono):                               |                                                                           |
| 24 max. / 500 max. / 22 KHz - DiSEqC.                    |                                                                           |
| Size: 2 modules.                                         |                                                                           |

Installation

|                          |                 |
|--------------------------|-----------------|
| Instructions and Manuals | 2CLX210109N1001 |
| Mounting Type            | Flush Mounted   |
| Type of Fastening        | Engage (Snap)   |

Technical

|                                   |                          |
|-----------------------------------|--------------------------|
| Data Sheet, Technical Information | 9AKK10103A5108           |
| Application                       | SAT                      |
| Type of Indicator                 | Without indication field |
| Outlet Orientation                | Straight                 |
| Number of Batteries               | 0                        |

Design

|                   |                       |
|-------------------|-----------------------|
| Design Range      | Zenit                 |
| Surface Finishing | Decor Matt            |
| Material          | Plastic Thermoplastic |
| Color             | Anthracite            |

Material Compliance

|                                             |                                                                        |
|---------------------------------------------|------------------------------------------------------------------------|
| RoHS Information                            | 2CLC225180N1801                                                        |
| RoHS Status                                 | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| REACH Declaration                           | 9AKK108467A7464                                                        |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363                                                        |

Environmental

|                         |                                                  |
|-------------------------|--------------------------------------------------|
| Ambient Air Temperature | Operation -5 ... +35 °C<br>Storage -5 ... +50 °C |
| Degree of Protection    | IP20                                             |

Dimensions

|                    |          |
|--------------------|----------|
| Product Net Width  | 44 mm    |
| Product Net Height | 44 mm    |
| Product Net Weight | 0.078 kg |

Ordering

|                           |                 |
|---------------------------|-----------------|
| Replaced Product ID (OLD) | 2CLA225180N1802 |
|---------------------------|-----------------|

Certificates and Declarations

|                                   |                       |
|-----------------------------------|-----------------------|
| Declaration of<br>Conformity - CE | No declaration needed |
|-----------------------------------|-----------------------|

Classifications

|                |                                                            |
|----------------|------------------------------------------------------------|
| ETIM 9         | EC000018 - Insert/cover for communication technology       |
| WEEE Category  | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer                                       |

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Data / Telecommunication / Antenna

