N2238 BL 1/3



PRODUCT-DETAILS

N2238 BL

Socket outlet Without imprint White - Zenit



General Information	
Extended Product Type	N2238 BL
Product ID	2CLA223801N1101
EAN	8427238171708
Catalog Description	Socket outlet Without imprint White - Zenit
Long Description	Color: White. Rated voltage: 125 / 250 Vac. Rated current: 15 / 16 A. Type B+C: 2P / NEMA 5-15R. Shuttered for child safety. Screw terminals. Size: 2 modules.
Installation	201 V240400N4004
Instructions and Manuals	2CLX210109N1001
Mounting Type Type of Fastening	Flush mounted (plaster) Snapper Mounting
Technical	

N2238 BL 2/3

Data Sheet, Technical Information	9AKK10103A5108
Number of Phases	2
Number of Active Pin Terminals	0
Number of Gangs	1
Connection Type	Screw
Socket Outlet Type	NEMA
Number of Batteries	0
Electrical	
Rated Voltage (U _r)	220 V
Rated Current (I _n)	
Frequency (f)	5060 Hz
Design	
Design Range	Zenit
Surface Finishing	Untreated Glossy
Material	Plastic Thermoplastic
Label Space Provided	No
Legend	Without imprint
RAL Number	RAL 9010 - Pure White
Color	White White
Material Compliance	
RoHS Information	2CLC223801N1101
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK108467A7464
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Environmental	
Ambient Air Temperature	Operation -5 +35 °C
Ambient Air Temperature	Storage -5 +50 °C
Degree of Protection	IP20
Dimensions	
Product Net Width	44 mm
Product Net Height	44 mm
Ordering	
Replaced Product ID (OLD)	2CLA223801N1102 2CLA223800N1101 2CLA223800N1102 2CLA223800N1103
-	ZOL/223000N1103

N2238 BL 3/3

Certificates and Declarations	
Declaration of Conformity - CE	No declaration needed
Classifications	

Classifications	
ETIM 9	EC000125 - Socket outlet
WEEE Category	5 Small Equipment (No External Dimension More Than 50 cm)

Business To Consumer

Categories

WEEE B2C / B2B

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Cover\ Plates\ and\ Control\ Elements\ \rightarrow\ Socket\ Outlets$

