N2160.8 AN 1/3



PRODUCT-DETAILS

N2160.8 AN Dimmer Anthracite - Zenit



General Information	
Extended Product Type	N2160.8 AN
Product ID	2CLA216080N1801
EAN	8427238229645
Catalog Description	Dimmer Anthracite - Zenit
Long Description	Color: Anthracite. Rated voltage: 127 Vac ± 10%. Frequency: 60 Hz. Power (min./max load): L-mode: - LEDi (leading-edge): 2 / 70 W/VA (max. 10 lamps). T-mode: - LEDi (trailing-edge): 2 / 180 W/VA (max. 10 lamps) LV LEDi with 12V transformer (L or LC): 2 / 180 W/VA (max. 10 lamps) Incandescent lamps: 2 / 180 W/VA Halogen lamps: 2 / 180 W/VA. *Max. 10 lamps. Load selection 2 or 3 wire connection. OFF position Electronic back-up fuse & overload protection. Size: 1 module.

Installation

N2160.8 AN 2/3

Instructions and Manuals	2CLX216039A1001
Mounting Type	Flush mounted (plaster)
Type of Fastening	Snapper Mounting
Technical	
Data Sheet, Technical Information	9AKK10103A5108
Actuator Type	Turn button
Connection Type	Screw
Number of Batteries	0
Electrical	
Rated Voltage (U _r)	110 127 V
Frequency (f)	60 60 Hz
Load Type	Resistive load
Control Supply Voltage	1 10 V
Design	
Design Range	Zenit
Surface Finishing	Decor Matt
Material	Plastic
	Thermoplastic
Color	<u>Anthracite</u>
Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Environmental	
Degree of Protection	IP20
Environmental Information	9AKK108466A4744
Dimensions	
Dimensions	
Product Net Width	23.000 mm
Product Net Height	44.000 mm
Product Net Depth / Length	37.000 mm
Built-In Depth (t ₂)	38 mm
Ordering	
Replaced Product ID (OLD)	2CLA216080N1802 2CLA216080N1803
Certificates and Declarations	

N2160.8 AN 3/3

Declaration of Conformity

No declaration needed

Classifications	
ETIM 9	EC000025 - Dimmer
UNSPSC	39122206
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Electronic Controls





