



PRODUCT-DETAILS

N2160.8 PL

Dimmer Silver - Zenit



General Information	
Extended Product Type	N2160.8 PL
Product ID	2CLA216080N1301
EAN	8427238229638
Catalog Description	Dimmer Silver - Zenit
Long Description	Color: Silver.
	Rated voltage: 127 Vac ± 10%.
	Frequency: 60 Hz.
	Power (min./max load):
	L-mode:
	- LEDi (leading-edge): 2 / 70 W/VA (max. 10 lamps).
	T-mode:
	- LEDi (trailing-edge): 2 / 180 W/VA (max. 10 lamps).
	- LV LEDi with 12V transformer (L or LC): 2 / 180 W/VA (max. 10 lamps).
	- Incandescent lamps: 2 / 180 W/VA. - Halogen lamps: 2 / 180 W/VA.
*Max. 10 lamps.	
Load selection	
2 or 3 wire connection.	
OFF position	
Electronic back-up fuse & overload protection.	
Size: 1 module.	

Installation	
Instructions and Manuals	2CLX216039A1001
Mounting Type	Flush mounted (plaster)
Type of Fastening	Snapper Mounting

Technical	
Data Sheet, Technical Information	9AKK10103A5108
Actuator Type	Turn button
Connection Type	Screw
Number of Batteries	0

Electrical	
Rated Voltage (U _r)	110 ... 127 V
Frequency (f)	60 ... 60 Hz
Load Type	Resistive load
Control Supply Voltage	1 ... 10 V

Design	
Design Range	Zenit
Surface Finishing	Decor Matt
Material	Plastic Thermoplastic
Color	Silver

Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Degree of Protection	IP20
Environmental Information	9AKK108466A4744

Dimensions	
Product Net Width	23.000 mm
Product Net Height	44.000 mm
Product Net Depth / Length	37.000 mm
Built-In Depth (t ₂)	38 mm

Ordering	
-----------------	--

Replaced Product ID	2CLA216080N1302
(OLD)	2CLA216080N1303

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
-----------------------------------	-----------------------

Classifications

ETIM 9	EC000025 - Dimmer
UNSPSC	39122206
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Electronic Controls

