N2180 BL 1/3



PRODUCT-DETAILS

N2180 BL

Signaling light LED not exchangeable / White White - Zenit



General Information	
Extended Product Type	N2180 BL
Product ID	2CLA218000N1101
EAN	8427238064673
Catalog Description	Signaling light LED not exchangeable / White White - Zenit
Long Description	Color: White. Rated voltage: 127-230 Vac / 50-60 Hz Lamp: white LED Luminous flux: > 2 lumen at 1 meter White diffuser Size: 1 module.

Installation	
Instructions and Manuals	2CLX210109N1001
Mounting Type	Flush Mounted
Type of Fastening	Engage (Snap)

N2180 BL 2/3

Data Sheet, Technical Information	9AKK10103A5108
Lamp Type	LED not exchangeable
Lamp Color	White
Number of Batteries	C
 Electrical	
Rated Voltage (U _r)	230 V
Design	
Design Range	Zenit
Surface Finishing	Untreated Glossy
Material	Plastic Thermoplastic
RAL Number	RAL 9010 - Pure White
Material Compliance ROHS Information ROHS Status REACH Declaration	2CLC218000N1101 Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 9AKK108467A7464
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
(0)	
Environmental Ambient Air	
Environmental Ambient Air Temperature Degree of Protection	Operation -5 +35 °C Storage -5 +50 °C IP20
Environmental Ambient Air Temperature Degree of Protection	Storage -5 +50 °C
Environmental Ambient Air Temperature Degree of Protection Dimensions	Storage -5 +50 °C
Environmental Ambient Air Temperature Degree of Protection Dimensions Product Net Width	Storage -5 +50 °C IP20
Environmental Ambient Air Temperature Degree of Protection Dimensions Product Net Width Product Net Height Product Net Weight	Storage -5 +50 °C IP20 22 mm 44 mm 0.028 kg
Environmental Ambient Air Temperature	Storage -5 +50 °C
Environmental Ambient Air Temperature Degree of Protection Dimensions Product Net Width Product Net Height Product Net Weight	22 mm 44 mm 0.028 kg

Certificates and Declarations

(OLD)

N2180 BL 3/3

Conformity - CE

Classifications	
ETIM 9	EC000064 - Information light signal for domestic switching devices
UNSPSC	39121534
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Cover\ Plates\ and\ Control\ Elements \rightarrow Light\ \&\ Signalization$





