N2180.1 BL 1/3



PRODUCT-DETAILS

## N2180.1 BL

## Signaling light LED not exchangeable White -Zenit



Canaral	Information
General	intormation

Extended Product Type	N2180.1 BL
Product ID	2CLA218010N1101
EAN	8427238172330
Catalog Description	Signaling light LED not exchangeable White - Zenit

Color: White.

Rated voltage: 127-230 Vac / 50-60 Hz. Lamp: white LED. 2.700 Kelvin. Low luminous flux: < 0,5 lumen at 0,3 meter. Long Description

White diffuser.

Size: 1 module.

Installation

Instructions and Manuals	9AKK10103A5108
Mounting Type	Flush mounted (plaster)
Type of Fastening	Engage (Snap)

**Technical** 

Data Sheet, Technical 9AKK10103A5108 N2180.1 BL 2/3

Information	LED and much assemble.
Lamp Type  Number of Batteries	LED not exchangeable
Number of batteries	0
Electrical	
Rated Voltage (U <sub>r</sub> )	230 V
ration voltage (o <sub>f</sub> )	200 V
Design	
Design Range	Zenit
Surface Finishing	Untreated
Material	Glossy Plastic Thermoplastic
RAL Number	RAL 9010 - Pure White
Color	White
Material Compliance	201 00 100 100 100 100 100 100 100 100 1
RoHS Information	2CLC218010N1101
RoHS Status REACH Declaration	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 9AKK108467A7464
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Environmental	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Ambient Air Temperature	Operation -5 +35 °C Storage -5 +50 °C
Degree of Protection	IP20
Dimensions	
Product Net Width	22 mm
Product Net Height	44 mm
Product Net Weight	25 g
Built-In Depth (t <sub>2</sub> )	40 mm
Ordering	
Replaced Product ID (OLD)	2CLA218010N1102 2CLA218010N1103
Certificates and Declarations	
Declaration of Conformity - CE	9AKK106930A5902
Classifications	
ETIM 9	EC000064 - Information light signal for domestic switching devices
UNSPSC	39121534
	0004/04/4

WEEE Category

5. Small Equipment (No External Dimension More Than 50 cm)

Business To Consumer

WEEE B2C / B2B

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Cover\ Plates\ and\ Control\ Elements \rightarrow Light\ \&\ Signalization$ 

