N2180.4 BL 1/3



PRODUCT-DETAILS

N2180.4 BL

DND/MUR corridor with LED not exchangeable White - Zenit



Conoral	Information	
General	intormation	

Extended Product Type N2180.4 BL Product ID 2CLA218040N1101 EAN Catalog Description

DND/MUR corridor with LED not exchangeable White - Zenit

Color: White. Rated voltage: 127-230 Vac / 50-60 Hz

Lamp: white LED

Luminous flux: > 2 lumen at 1 meter

Red diffuser

Do Not Disturb (DND) symbol

To be controlled with N2244.5 DND/MUR 2-gang interlocked switch

Size: 1 module.

Long Description

Installation 2CLX210109N1001 Instructions and Manuals Mounting Type Flush Mounted Type of Fastening Engage (Snap)

Technical

N2180.4 BL 2/3

Data Sheet, Technical Information	9AKK10103A5108
Lamp Type	LED not exchangeable
Lamp Color	White
Number of Batteries	0
Electrical	
Rated Voltage (U _r)	230 V
Design	
Design Range	Zenit
Surface Finishing	Untreated Glossy
Material	Plastic Thermoplastic
RAL Number	RAL 9010 - Pure White
Color	White
Material Compliance	
Material Compliance RoHS Information	2CLC218040N1101
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK108467A7464
Conflict Minerals	9AKK108468A3363
Reporting Template (CMRT)	
Environmental	
Ambient Air Temperature	Operation -5 +35 °C Storage -5 +50 °C
Degree of Protection	IP20
<u> </u>	
Dimensions	
Product Net Width	22 mm
Product Net Height	44 mm
Product Net Weight Built-In Depth (t ₂)	0.027 kg 40 mm
Ordering	
Replaced Product ID (OLD)	2CLA218040N1102 2CLA218040N1103
Certificates and Declarations	
Declaration of Conformity	9AKK106930A5902
-CE	
Classifications	

N2180.4 BL 3/3

ETIM 9	EC000064 - Information light signal for domestic switching devices
UNSPSC	39121534
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

 $\mbox{Low Voltage Products and Systems} \rightarrow \mbox{Wiring Accessories - Light Switch Ranges} \rightarrow \mbox{Cover Plates and Control Elements} \rightarrow \mbox{Electronic Controls}$





