N2180.4 PL 1/3



PRODUCT-DETAILS

N2180.4 PL

DND/MUR corridor with LED not exchangeable Silver - Zenit



General Information	
Extended Product Type	N2180.4 PL
Product ID	2CLA218040N1301
EAN	8427238093840
Catalog Description	DND/MUR corridor with LED not exchangeable Silver - Zenit
Long Description	Color: Silver. Rated voltage: 127-230 Vac / 50-60 Hz Lamp: white LED Luminous flux: > 2 lumen at 1 meter Red diffuser Do Not Disturb (DND) symbol To be controlled with N2244.5 DND/MUR 2-gang interlocked switch Size: 1 module.

Installation	
Instructions and Manuals	2CLX210109N1001
Mounting Type	Flush Mounted
Type of Fastening	Engage (Snap)

N2180.4 PL 2/3

Technical	
Data Sheet, Technical	9AKK10103A5108
Information	
Lamp Type	LED not exchangeable
Lamp Color	White
Number of Batteries	0
Electrical	
Rated Voltage (U _r)	230 V
 Design	
Design Range	Zenit
Surface Finishing	Decor
Juriace i mishing	Matt
Material	Plastic Thermoplastic
Color	Silver
Material Compliance	
RoHS Information	2CLC218040N1301
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK108467A7464
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
 Environmental	
Ambient Air Temperature	Operation -5 +35 °C Storage -5 +50 °C
Degree of Protection	IP20
Dimensions	
Product Net Width	22 mm
Product Net Height	44 mm
Product Net Weight	0.003 kg
Built-In Depth (t ₂)	40 mm
 Ordering	
Replaced Product ID (OLD)	2CLA218040N1302
Certificates and Declaration	ns

Conformity - CE

Classifications	
ETIM 9	EC000064 - Information light signal for domestic switching devices
UNSPSC	39121534
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Cover\ Plates\ and\ Control\ Elements \rightarrow Electronic\ Controls$

