N2280.2 RJ/VD 1/3



PRODUCT-DETAILS

N2280.2 RJ/VD

DND/MUR corridor LED not exchangeable / Red / Green Red/Green - Zenit



General Information	
Extended Product Type	N2280.2 RJ/VD
Product ID	2CLA228020N1101
EAN	8427238063171
Catalog Description	DND/MUR corridor LED not exchangeable / Red / Green Red/Green - Zenit
Long Description	Rated voltage: 127-230 Vac / 50-60 Hz.
	Lamp: red/green LED.
	Luminous flux: > 2 lumen at 1 meter.
	White diffuser.

Installation	
Instructions and Manuals	2CLX818019A1001
Mounting Type	Flush Mounted
Type of Fastening	Engage (Snap)

Technical

N2280.2 RJ/VD 2/3

Data Sheet, Technical	9AKK10103A5108
Information	LED not exchangeable
Lamp Type Lamp Color	Red / Green
Number of Batteries	0
Number of Butteries	
Electrical	
Rated Voltage (U _r)	230 V
Design	
Design Range	Zenit
Surface Finishing	Untreated Matt
Material	Plastic Thermoplastic
Color	Red/Green
Material Compliance	
RoHS Information	2CLC228020N1101
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK108467A7464
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Environmental	
Ambient Air	Operation -5 +35 °C
Temperature	Storage -5 +50 °C
Degree of Protection	IP20
Dimensions	
Product Net Width	44 mm
Product Net Height	44 mm
Product Net Weight	0.052 kg
Built-In Depth (t ₂)	40 mm
,	
Ordering	
Replaced Product ID (OLD)	2CLA228020N1102
Certificates and Declarations	
Declaration of Conformity - CE	No declaration needed

N2280.2 RJ/VD 3/3

Classifications		
ETIM 9	EC000064 - Information light signal for domestic switching devices	
UNSPSC	39121534	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B	Business To Consumer	

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Cover\ Plates\ and\ Control\ Elements \rightarrow Light\ \&\ Signalization$









3605