



PRODUCT-DETAILS

N2234.1 PL

Built-in device MCB + RCD Silver - Zenit



General Information	
Extended Product Type	N2234.1 PL
Product ID	2CLA223410N1301
EAN	8427238068589
Catalog Description	Built-in device MCB + RCD Silver - Zenit
Long Description	Color: Silver.
	Rated voltage: 120 - 230 Vac; 50/60 Hz
	Rated current: 6A
	Braking capacity: 1.500A
	Residual current (sensitivity - IΔn): 10 mA
	C type magneto-thermic protection
	A type residual current protection
Two-pole (1P + N) with 1 protected pole	
Size: 2 modules.	
Installation	
Instructions and Manuals	2CLX210109N1001

Technical	
Data Sheet, Technical Information	9AKK10103A5108
Number of Poles	1
Number of Switch Positions	2
Actuator Type	Rocker
Switch Type	On / Off
Number of Batteries	0

Electrical	
Rated Operational Voltage	Maximum 230 V

Design	
Design Range	Zenit
Surface Finishing	Decor Matt
Material	Plastic Thermoplastic
Color	Silver

Material Compliance	
RoHS Information	2CLC223410N1301
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK108467A7464
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	Front IP20

Dimensions	
Width in Number of Modular Spacings	2
Product Net Width	44 mm
Product Net Height	44 mm
Product Net Weight	0.103 kg

Ordering	
Replaced Product ID (OLD)	2CLA223410N1302

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Classifications

ETIM 9	EC002611 - Control switch
UNSPSC	39121602
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Protection Devices



360°