



PRODUCT-DETAILS

# N2214.1 AN

## Card switch with LED exchangeable Anthracite - Zenit



General Information	
Extended Product Type	N2214.1 AN
Product ID	2CLA221410N1801
EAN	8427238074535
Catalog Description	Card switch with LED exchangeable Anthracite - Zenit
Long Description	Color: Anthracite. Rated voltage: 110 - 250 Vac Rated current: 16 AX. Rated power iLED (230/127 Vac): 200/100 W. For 54mm width cards Included: locator LED lamp N2191 NG (230 Vac). Size: 2 modules.

Installation	
Instructions and Manuals	2CLX210109N1001
Mounting Type	Flush Mounted
Type of Fastening	Engage (Snap)

Technical	
Data Sheet, Technical Information	9AKK10103A5108
Function	Function lighting: Illuminated (on)
Wiring Configuration	2-pole switch
Actuator Type	Hotel card
Connection Type	Plug Clamp
Lamp Type	LED exchangeable
Illumination	Illuminated
Number of Batteries	0

Electrical	
Rated Voltage (U <sub>r</sub> )	250 V
Rated Current (I <sub>n</sub> )	16 A
Maximum Switching Current	Fluorescent Lamps 16

Design	
Design Range	Zenit
Surface Finishing	Decor Matt
Material	Plastic Thermoplastic
Label Space Provided	No
Color	Anthracite

Material Compliance	
RoHS Information	2CLC221410N1801
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK108467A7464
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions	
Product Net Width	44 mm
Product Net Height	44 mm
Product Net Weight	0.066 kg

Ordering	
Replaced Product ID	2CLA221410N1802

(OLD)

2CLA221410N1803

Certificates and Declarations

Declaration of  
Conformity - CE

9AKK106930A5900

Classifications

ETIM 9

EC001590 - Installation switch

WEEE Category

5. Small Equipment (No External Dimension More Than 50 cm)

WEEE B2C / B2B

Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Electronic Controls

