



PRODUCT-DETAILS

N2214.1 BL

Card switch with LED exchangeable White - Zenit



General Information	
Extended Product Type	N2214.1 BL
Product ID	2CLA221410N1101
EAN	8427238064772
Catalog Description	Card switch with LED exchangeable White - Zenit
Long Description	Color: White.
	Rated voltage: 110 - 250 Vac
	Rated current: 16 AX.
	Rated power iLED (230/127 Vac): 200/100 W.
	For 54mm width cards
Included: locator LED lamp N2191 NG (230 Vac).	
Size: 2 modules.	

Installation	
Instructions and Manuals	2CLX210109N1001
Mounting Type	Flush Mounted
Type of Fastening	Engage (Snap)

Technical	
Data Sheet, Technical Information	9AKK10103A5108
Function	Function lighting: Illuminated (on)
Wiring Configuration	2-pole switch
Actuator Type	Hotel card
Connection Type	Plug Clamp
Lamp Type	LED exchangeable
Illumination	Illuminated
Number of Batteries	0

Electrical	
Rated Voltage (U _r)	250 V
Rated Current (I _n)	16 A
Maximum Switching Current	Fluorescent Lamps 16

Design	
Design Range	Zenit
Surface Finishing	Untreated Glossy
Material	Plastic Thermoplastic
Label Space Provided	No
RAL Number	RAL 9010 - Pure White
Color	White

Material Compliance	
RoHS Information	2CLC221410N1101
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK108467A7464
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions	
Product Net Width	44 mm
Product Net Height	44 mm
Product Net Weight	0.065 kg

Ordering	
----------	--

Replaced Product ID	2CLA221410N1102
(OLD)	2CLA221410N1103

Certificates and Declarations

Declaration of Conformity - CE	9AKK106930A5900
-----------------------------------	-----------------

Classifications

ETIM 9	EC001590 - Installation switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Electronic Controls

