




PRODUCT-DETAILS

# N2214.5 BL

## Card switch White - Zenit



General Information	
Extended Product Type	N2214.5 BL
Product ID	2CLA221450N1101
EAN	8427238073477
Catalog Description	Card switch White - Zenit
Long Description	Color: White.
	Rated voltage: 110 - 250 Vac; 50/60 Hz
	Rated current:
	- Incandescent/halogen: 3.000W@230Vac / 1.600W@127Vac
	- Fluorescent: 1.300VA@230Vac / 700VA@127Vac
	- Electronic and ferromag. transf. and motors: 3.000VA@230Vac / 1.600VA@127Vac
For 54mm width cards	
Locator LED lamp included	
Time delayed switch: 5 - 90 seconds	
Size: 2 modules.	

Installation	
Instructions and Manuals	2CLX811459A1001
Mounting Type	Flush Mounted

<b>Technical</b>	
Data Sheet, Technical Information	9AKK10103A5108
Number of Batteries	0

<b>Electrical</b>	
Rated Voltage (U <sub>r</sub> )	230 V
Rated Current (I <sub>n</sub> )	16 A
Frequency (f)	50...60 Hz
Minimum Switching Capacity	3000...3000 W
Load Type	Universal

<b>Design</b>	
Design Range	Zenit
Surface Finishing	Untreated Glossy
Material	Plastic Thermoplastic
RAL Number	RAL 9010 - Pure White
Color	White

<b>Material Compliance</b>	
RoHS Information	2CLC221450N1101
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK108467A7464
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

<b>Environmental</b>	
Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C

<b>Dimensions</b>	
Product Net Width	44 mm
Product Net Height	44 mm
Product Net Weight	0.082 kg

<b>Ordering</b>	
Replaced Product ID (OLD)	2CLA221450N1102 2CLA221450N1103

Certificates and Declarations

Declaration of Conformity - CE	9AKK106930A5901
-----------------------------------	-----------------

Classifications

ETIM 9	EC001588 - Electronic switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Electronic Controls

