N2281.2 BL 1/3



PRODUCT-DETAILS

N2281.2 BL

Beacon light LED not exchangeable / Orange White - Zenit



Camanal	Informati	
General	Intormati	nn.

N2281.2 BL **Extended Product Type** 2CLA228120N1101 Product ID EAN 8427238249582

Catalog Description Beacon light LED not exchangeable / Orange White - Zenit

Rated voltage: 230 Vac / 50-60 Hz. Rated power: 3 VA (0,2 W). Wthdrawable lamp.

Lamp: white LED lamp. Light intensity: 20 lumens. Beam angle: 120º.

White diffuser. Autonomy: 2 hours.

Battery: not replaceable rechargeable Ni-MH / 3,6 V / 140 mAh. Full recharge time: 48

Indicator: red LED for low battery or fault indication.

Size: 2 modules.

Installation

Long Description

Instructions and 2CLX228129N1001 Manuals

N2281.2 BL 2/3

Mounting Type	Flush mounted (plaster)
Type of Fastening	Engage (Snap)

Technical	
Data Sheet, Technical Information	9AKK10103A5108
Lamp Type	LED not exchangeable
Lamp Color	Orange

Electrical	
Rated Voltage (U _r)	230 V

Design	
Design Range	Zenit
Surface Finishing	Untreated Glossy
Material	Plastic Thermoplastic
RAL Number	RAL 9010 - Pure White
Color	White

Material Compliance	
RoHS Information	2CLC228120N1101
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Degree of Protection	IP20
Environmental	9AKK108467A3751
Information	

Dimensions	
Product Net Width	44 mm
Product Net Height	46 mm
Product Net Weight	79 g
Built-In Depth (t ₂)	40 mm

Classifications	
ETIM 9	EC000064 - Information light signal for domestic switching devices
UNSPSC	39121534
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business

N2281.2 BL 3/3

Categories

