9368.3



PRODUCT-DETAILS

9368.3

Sound device



Extended Product Type	9368.3
Product ID	2CLA936830A1001
EAN	8427238104331
Catalog Description	Sound device
	Power supply through 9368, 9368.2 or 9368.7 modules Max. consumption: 200 mA
	Stand-by consuption: 0,4W
	Bluetooth receiver: Bluetooth® v2.1 2.4GHz IEEE 802.15.1
Long Description	USB connector: for MP3 and WAV files. Max. consuption of the connected device: 100 mA @5Vdc
	Input: 1x mini-jack stereo 3,5mm
	Output: 1x mini-jack stereo 3,5mm
	Cover plate code: 8568.3, N2268.3, 8468.3, 8268.3 & 5568.3

Installation	
Instructions and Manuals	2CLX936830A1001
Mounting Type	Flush Mounted

9368.3

Technical	
Data Sheet, Technical Information	9AKK107046A0356
Number of Outputs	Analog (0 10 V / 4 20 mA) (
Number of Batteries	
Electrical	
Rated Voltage (U _r)	9 \
Design	
Design Range	Zenit
Material Compliance	
RoHS Information	2CLC936830A1001
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	2CCC005076D0203
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Environmental Ambient Air Temperature Degree of Protection	Operation -5 +35 °C Storage -5 +50 °C IP20
Dimensions	
Product Net Width	0.073 m
Product Net Height	0.052 m
Product Net Depth / Length	0.073 m
Product Net Weight	0.078 kg
Ordering	
Replaced Product ID (OLD)	2CLA936830A1003 2CLA936830A1003
Certificates and Declaratio	ns
Declaration of Conformity - CE	9AKK107492A783
Classifications	

9368.3

ETIM 9	EC002484 - Sound system for domestic switching devices
UNSPSC	39121311
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Flush\ Mounted\ Inserts \rightarrow Multimedia$

