



PRODUCT-DETAILS

N3002 BL

Switch 2-way Two-way switch with LED exchangeable White - Zenit



General Information	
Extended Product Type	N3002 BL
Product ID	2CLA300200N1101
EAN	8427238106595
Catalog Description	Switch 2-way Two-way switch with LED exchangeable White - Zenit
Long Description	Frames for flush mounted installation.
	Watertight frame IP55.
	White colour.
	Mechanism N2202 BL included,
	16 AX ; 250 V~
With lib that provides the direct operation of the mechanisms, with 120° opening angle.	
Mounting plate included.	

Installation	
Instructions and Manuals	2CLX210109N1001
Mounting Type	Flush Mounted
Type of Fastening	Screw

Technical	
Data Sheet, Technical Information	9AKK10103A5108
Function	Function lighting: Orientation
Number of Rocker Switches	1
Wiring Configuration	Two-way switch
Actuator Type	Rocker/button
Connection Type	Plug Clamp
Lamp Type	LED exchangeable
Illumination	Optional
Number of Batteries	0

Electrical	
Rated Voltage (U _r)	250 V
Rated Current (I _n)	16 A
Maximum Switching Current	Fluorescent Lamps 16

Design	
Design Range	Zenit
Surface Finishing	Untreated Glossy
Material	Plastic Thermoplastic
Label Space Provided	No
RAL Number	RAL 9010 - Pure White
Color	White

Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP55

Dimensions	
Product Net Width	90 mm
Product Net Height	90 mm
Product Net Weight	0.007 kg

Ordering	
----------	--

Replaced Product ID (OLD)	2CL0N300201
------------------------------	-------------

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
-----------------------------------	-----------------------

Classifications

ETIM 9	EC001590 - Installation switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Mechanical Controls

