ZAF146B-12 1/3



PRODUCT-DETAILS

## ZAF146B-12 Coil Replacement Kit



General Information	
Extended Product Type	ZAF146B-12
Product ID	1SFN154672R1206
EAN	7320500516744
Catalog Description	ZAF146B-12 Coil Replacement Kit
Long Description	Coil Replacement Kit ZAF146B-12 suitable for contactor: AF146B. Kit consist of coil, electronic module, fasteners, damping and terminal cover. Control voltage, Uc, is 48-130 V 50/60Hz/DC.
Ordoring	
Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	<u>8538909999</u>
Popular Downloads	
Instructions and Manuals	1SFC101356M6801
CAD Dimensional Drawing	2CDC001079B0201

ZAF146B-12 2/3

Dimensions	
Product Net Width	190 mm
Product Net Depth / Length	150 mm
Product Net Height	70 mm
Product Net Weight	0.312 kg
Technical	
Rated Control Circuit Voltage (U <sub>c</sub> )	50 Hz 48 130 V
Suitable For	AF146B
Suitable 1 6.	
Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE B2C / B2B WEEE Category	Business To Business 5. Small Equipment (No External Dimension More Than 50 cm)
WELL Category	3. Small Equipment (No External Dimension Wore Than 30 cm)
Certificates and Declarations	
Declaration of Conformity - UKCA	2CMT2020-006120
Outside I formation	
Container Information	how 1 misses
Package Level 1 Units Package Level 1 Width	box 1 piece 190 mm
Package Level 1 Depth / Length	70 mm
Package Level 1 Height	150 mm
Package Level 1 Gross Weight	0.313 kg
Package Level 1 EAN	7320500516744
0	
Classifications	
ETIM 6	EC002498 - Accessories for low-voltage switch technology
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8 eClass	EC002498 - Accessories/spare parts for low-voltage switch technology V11.0 : 27371003
UNSPSC	39121529
<u> </u>	00121020

ZAF146B-12 3/3

## Categories

Low Voltage Products and Systems  $\rightarrow$  Control Products  $\rightarrow$  Contactors  $\rightarrow$  Block Contactors

