



50485282 - 50485283




63-100 A

SIDE VIEW





CABLE GLAND
 ISO 16 max: 14
 ISO 20 max: 10
 ISO 25 max: 6
 ISO 40 max: 3
 ISO 50 max: 2


BACK VIEW




CABLE GLAND
 ISO 16 max: 14
 ISO 20 max: 9
 ISO 25 max: 6
 ISO 40 max: 2
 ISO 50 max: 1




C

63 A


L1 L2 L3		1.2 x 6.5	8 MAX	4 Nm
N PE FE		PZ 2		2 Nm
		PH 2		




Dimensioni in mm BAO - Dimension in mm BAO




C

100 A






L1 L2 L3		1.6 x 8	12 MAX	5 Nm
PE FE		CH 4		4 Nm
N		CH 5	9	4 Nm




Dimensioni in mm CEO - Dimension in mm CEO




D




BOTTOM VIEW





10





E






PE




FE




XCP







14





15

3 Nm
PH2

F




XCM





14

15

3 Nm
PH2



PH2



Quando si installa la cassetta sulla linea XCM basso
(160/250/315A AL e 250/315/400A CU) sono da togliere

When installing the tap of box on the low XCM
(160/250/315A AL and 250/315/400A CU) they must be removed