


Fan Step Regulator 2M 100W



Use

Ceiling Fan controller for lower power ceiling fans (typically 70-90W).
No. of steps: 5
Overcurrent protection on fan controller line must be max 4 A.

Range

Designation	Cat. No.
Fan controller 240V 100W 50Hz - The cover of the selected colour is supplied in the same box as the fan controller - for Indian std. installations - 2 module	<input type="checkbox"/> KW4017 <input type="checkbox"/> KM4017 <input checked="" type="checkbox"/> KG4017

Colours code: ☐ White ☐ Sand ☒ Black

Connection

Terminal type: screw terminals

Technical characteristics

- Protection Index

(considering a complete installation, including cover plate)
Penetration by solid bodies/liquid: IP40D

- Mechanical characteristics

Impact test: IK 04

- Material characteristics

Top plate, knob and base: PC (Polycarbonate)
UV resistant
Self-extinguishing:
850° C / 30 s for insulating parts holding live parts in place
650° C / 30 s for other parts made of insulating materials


- Electrical characteristics

Voltage: 240 V a.c.
Watts: 100 W

- Climatic characteristics

Storage temperature: - 10° C to + 70° C
Use temperature: - 5° C to + 35° C

Overall dimensions (mm)



	A	B	C	D
K.4017	86	44,7	34	24,5

Cleaning

Clean the surface with a cloth.
Do not use acetone, tar-removing cleaning agents or trichloroethylene.
Caution: Always test before using special cleaning products.

Standards and approvals

Compliance with standards IS 11037, IEC 60669-2-1
Refer to e.catalogue.