## **SCHEDINA TECNICA - TERM. BLOCK ASSY 6PK**



Gruppo di morsetti, Bassa tensione, 760 A, AC 600 V, DC 600 V, 10 kA, 3P, UL, Collegatore per tipo perno, 2 vie per polo, doppio foro sul lato linea



Tipo TERM. BLOCK ASSY 6PK Catalog No. 16582-3

D		41:1		
Proc	ıramma	ai i	rornitu	ıra

3			
Assortimento			Distribuzione della corrente
Funzione di base			Gruppo di morsetti
campo di validità			Bassa tensione
Corrente nominale d'impiego	I	Α	760
Tensione nominale d'impiego			AC 600 V DC 600 V
Descrizione			Collegatore per tipo perno 2 vie per polo doppio foro sul lato linea
potere di apertura		kA	10
Numero di poli			3P
Standard/Approvazione			UL
Materiale			Termoplastica
Standard/Norme			UL CSA

## Dati tecnici secondo ETIM 6.0

but tomor scoonia Erim v.o							
Low-voltage industrial components (EG000017) / Distribution terminal block (EC000276)							
Electric engineering, automation, process control engineering / Electrical installation, device / Clamp (not overhead line) / Control line board (ecl@ss8.1-27-14-11-47 [BAA026010])							
Core cross section	mm²	253					
Number of poles		3					
With seal head		No					