






CE




Powering Business Worldwide


3










a.



b.



2 x Ø 13 mm
3 x Ø 10,5 mm
5 x Ø 20 mm










4

× 2
Ø 5 mm




#2









Autotest / SATI



V/G/G/V		OK
V/G/G/V		Test
V-J/G-Y/G-G/V-G		·))) com/kom
J/Y/G/G		2 s
J/Y/G/G		0,5 s



* = Ref. 919-000-002
F = 1600 g



NEXITECH LED 1000q/1h 800/1h30 CGL+

NEXI1000-CGL



IP 40 / IK 03



7.2 V/2 Ah Ni-Cd



1h/1h30




1000 lm/800 lm



M: 3.6 W
N.M.: 2.25 W

EN

EN 60598.1
EN 60598.2.22
EN 62034



NEXI-PLEX-DD
NEXI-PLEX-DD



NEXI-PLEX-LR
NEXI-PLEX-LR



NEXI-PLEX-LR
NEXI-PLEX-LR



NEXI-PLEX-LR
NEXI-PLEX-LR



NEXI-PICTO-D



NEXI-PICTO-L



NEXI-PICTO-R



NEXI-PICTO-U

Eaton

EMEA Headquarters
Route de la Longeraie 7
1110 Morges, Switzerland
Eaton.eu

Cooper CSA Srl

Via San Bovio, 3
20090 Segrate (Mi) - ITALY
Technical Service
www.coopercsa.it/it/nexitechled
Tel. +39 02 959501
www.coopercsa.it
www.eaton.it

© 2016 Eaton
All Rights Reserved

EAT•N

Powering Business Worldwide

ZNO2036400 B - 09/2016

Eaton is a registered trademark.

All trademarks are property
of their respective owners.

