













+ web-controller CGLine+




Powering Business Worldwide


2






3




4








Test



V/G/G/V		OK
V/G/G/V		Test
V-J/G-Y/G-G/V-G		•))) kom/kom
J/Y/G/G		2 s
J/Y/G/G		0,5 s



* Ref. 919-000-002
F = 1600 g



N.M.

M.

EN



NEXITECHLED150LM1H30CGLINE+ NEXI150-CGL

NEXITECH LED 150LM 3H CGLINE+ NEXI150-3H-CGL

NEXITECH LED 300LM 3H CGLINE+ NEXI300-3H-CGL

NEXITECHLED400LM1H30CGLINE+ NEXI400-CGL

IP40/IK03

7,2 V 1,7 Ah Ni-Cd

90 min

150 lm

2,25 W

3,6 W

EN 60598.1
EN 60598.2.22
EN 1838/ISO30061
EN 62034

180 min



150 lm

180 min

300 lm

90 min

400 lm



NEXI-PICTO-D



NEXI-PICTO-L



NEXI-PICTO-R



NEXI-PICTO-U

Eaton
EMEA Headquarters
Route de la Longeraie 7
1110 Morges, Switzerland
Eaton.eu

Cooper CSA Srl
Via San Bovio, 3
20090 Segrate (Mi) - ITALY
Technical Service
www.coopercsa.it/it/nexitechled
Tel. +39 02 959501
www.coopercsa.it
www.eaton.it

© 2017 Eaton
All Rights Reserved



ZNO2034100 C - 05/2017

Eaton is a registered trademark.

All trademarks are property
of their respective owners.



EAT•N

Powering Business Worldwide