

Specifications



Eaton 1BS103

Eaton Universal fuse block, Modular, 400 A, 150, Celsius, 150, Celsius, Set screw, 200 kAIC, Tin-plated aluminum connector, Zinc-plated steel studs/nut/washer, Molded black phenolic base, Stud, 600 V, #6-250 kcmil Cu/Al

General specifications

PRODUCT NAME	Eaton Bussmann series 1BS10x universal fuse block
CATALOG NUMBER	1BS103
UPC	051712135016
PRODUCT LENGTH/DEPTH	2 in
PRODUCT HEIGHT	1 in
PRODUCT WIDTH	1 in
PRODUCT WEIGHT	0.023 lb
WARRANTY	Not Applicable
COMPLIANCES	Contact factory RoHS Compliant



Powering Business Worldwide

Electrical rating

AMPERAGE RATING 400 A

INTERRUPT RATING 200 kAIC

VOLTAGE RATING 600 V

General information

CONNECTION Set screw

MOUNTING METHOD Stud

Physical details

MATERIAL Molded black phenolic base
Zinc-plated steel studs/nut/washer
Tin-plated aluminum connector

OPERATING TEMPERATURE - MAX 150 °C

OPERATING TEMPERATURE - MIN 150 °C

WIRE SIZE #6-250 kcmil Cu/Al

Resources

CATALOGS [Bussmann series complete full line catalog no. 1007](#)

SPECIFICATIONS AND DATASHEETS [Eaton Specification Sheet - 1BS103](#)

TECHNICAL DATA SHEETS [Bussmann series 1BS103 modular fuse block data sheet no. 1208](#)

TECHNICAL SERVICE BULLETINS [Datasheet - FNQ-30](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

Follow us on social media to get the latest product and support information.

