

Specifications



Eaton OPM-NG-SM3

Eaton Bussmann series Optima fuse holders, 0-30 A, Three-pole, Philslot screws/pressure plate, 200 kAIC, Thermoplastic, 600 V or less (UL/CSA 30 A), 690 V or less (IEC 32 A)

General specifications

PRODUCT NAME	Eaton Bussmann series Optima fuse holders
CATALOG NUMBER	OPM-NG-SM3
UPC	051712674164
PRODUCT LENGTH/DEPTH	3.75 in
PRODUCT HEIGHT	3 in
PRODUCT WIDTH	2 in
PRODUCT WEIGHT	0.354 lb
WARRANTY	Not Applicable
COMPLIANCES	CE Marked RoHS Compliant
CERTIFICATIONS	Contact Manufacturer UL Listed CSA Certified



Powering Business Worldwide

Electrical rating

AMPERAGE RATING	0-30A
INTERRUPT RATING	200 kAIC
SHORT-CIRCUIT RATING	200 kA
VOLTAGE RATING	600 Vac or less (UL/CSA 30A), 690 Vac or less (IEC 32A)

General information

CONNECTION	Philslot screws/pressure plate
-------------------	--------------------------------

Physical details

MATERIAL	Thermoplastic
NUMBER OF POLES	Three-pole

Resources

CATALOGS	Bussmann series complete full line catalog no. 1007
MULTIMEDIA	Bussmann series Fuseology
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - OPM-NG-SM3
TECHNICAL DATA SHEETS	OPM-NG-SM3~45MM 3 PHASE FUSE HOLDER Bussmann series OPM-NG 3-pole overcurrent protection module no. 1109
TECHNICAL SERVICE BULLETINS	Datasheet - FNQ-30

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

Follow us on social media to get the latest product and support information.



© 2025 Eaton. All Rights Reserved.