

DYMO

Welcome to the new Dymo.

**DYMO Industrial**Rhino 4200

Rhino 4200

Facile lettura

Grande display LCD

Massima visibilità

Display retro-illuminato

Facile navigazione

Tasti direzionali

Funzioni rapide

Tasti funzione esclusivi

- Etichette generiche e di lunghezza fissa
- Etichette diametro cavi/fili
- Moduli
- Rotazione e allineamento testo
- Code 39 & Code 128 Barcode

Tastiera intuitiva

NEW

QWERTY

Personalizzazione

Tasto dedicato

Tasti accesso menù

Menu bar per accesso simboli, termini, libreria ecc..

Massima resistenza

Paraurti in gomma

Massima durata


Batteria agli ioni di litio



Step Up

Rhino 4200			Rhino 5200			Rhino 6000		
								
Tape Width	3¼" / 19mm		3¼" / 19mm			1" / 24mm		
Keyboard	QWERTY		ABC			ABC		
Memory	25		100			1000		
Lines on Screen	1		2			3		
Lines on Tape	4		5			5		
Bar Codes	2		2			6		
Fixed & General	YES		YES			YES		
Cable Mgmt.	YES		YES			YES		
Patch Panel	NO		YES			YES		
110 Blocks	NO		YES			YES		
Terminal Blocks	NO		YES			YES		
Basic Serial	YES		YES			YES		
Advanced Serial	NO		YES			YES		
Li-Ion Capable	YES		YES			YES		
Li-Ion Included	NO		YES			YES		
Custom Graphic	NO		NO			YES		
Excel Import	NO		NO			YES		
PC Connect	NO		NO			YES		

Immagini applicazioni



ELCART DISTRIBUTION SPA via Michelangelo Buonarroti, 46 - 20093 Cologno Monzese (Milano) ITALY
 Tel. ++39 02.25117310 Fax ++39 02.25117610 sito internet: www.elcart.com e-mail: info@elcart.it

La divulgazione dei dati contenuti in questa scheda è da ritenersi un servizio puramente informativo e non costituisce alcun vincolo da parte della Elcart in merito a prestazioni ed utilizzo del prodotto.
 The divulgation of data contained on this technical sheet are exclusively for informational reasons and establish no link on behalf of Elcart regard to thr performances and the usa of the product.
 La divulgacion de los datos contenidos en esta ficha son un servicio unicamente informativo y no constituyen ningun vinculo de parte de Elcart respecto a las prestaciones y uso del producto.